

- [4] **CGWB and CPCB (2000):** Status of Ground Water Quality and Pollution Aspects in NCT-Delhi, January 2000.
- [5] **Chaudhary, B. S., Kumar, M., Roy, A. K., & Ruhel, D. S. (1996):** Applications of RS and GIS in groundwater investigations in Sohna Block, Gurgaon District, Haryana, India. *International Archives of Photogrammetry and Remote Sensing*, 31(B-6), 18–23.
- [6] **Cholke S. P. (2012):** Village Information System (V.I.S.) for watershed management in the North Ahmednagar district, Maharashtra, unpublished Ph.D. Thesis, Pune University, Pune.
- [7] **Kudrat and Saha (1993).** Land productivity assessment and mapping through integration of satellite and terrain slope data. *Journal of the Indian Society of Remote Sensing* **21**, 157-166.
- [8] **Malla K.B. (1992):** Geographic information system applications to land productivity index mapping. *Asian Pacific Remote Sensing Journal* 4, 129-133.
- [9] **Ronaldo, A. Dela Cruz (1992):** The Determination of Suitable up land agriculture areas using GIS technology. *Asian-Pacific Remote Sensing Journal*, July, v. 5 no. 1.
- [10] **Saxena R K, Barthwal A K and Sohan Lal (1985):** Use of satellite remote sensing techniques in exploratory and resource assessment - A case study of Nagpur district,
- [11] **Maharastra. Proceeding 6" Asian ConJerence on Remote Sensing,** Hyderabad.
- [12] **Sharma and Chaudhary (2008):** Land Productivity and site-suitability assessment for crop diversification using Remotely Sensed data and GIS techniques. *Agropedology* 2008, 18(1), 1-11.
- [13] **Storie, R. E. (1978):** Storie Index Rating Special publication, 3203, (Division of Agricultural Science, University of California: USA)