

parts and instruments accountable for the unusual measures of throbs occurring due to frightful stances require further examination. This investigation perceives a basic prerequisite for understudies to hold quick to honest to goodness framework standards and also the need to layout a comprehensive and shrewd tradition to turn away harm to physiotherapy understudies in the midst of their planning program.

References

- [1] Sundblad GB, Jansson A, Saartok T, Renström P, Engström L-M. Self-rated pain and perceived health in relation to stress and physical activity among school-students: A 3-year follow-up. *Pain*. 2008;136(3):239-49.
- [2] Niemi SM, Levoska S, Rekola KE, Keinänen-Kiukaanniemi SM. Neck and shoulder symptoms of high school students and associated psychosocial factors. *J. of Adolescent Health*. 1997;20(3):238-42.
- [3] Morse T, Dillon C, Kenta-Bibi E, Weber J, Diva U, Warren N, et al. Trends in work-related musculoskeletal disorder reports by year, type, and industrial sector: A capture-recapture analysis. *American J. of industrial medicine*. 2005;48(1):40-9.
- [4] Punnett L, Wegman DH. Work-related musculoskeletal disorders: the epidemiologic evidence and the debate. *J. of electromyography and kinesiology*. 2004;14(1):13-23.
- [5] Brattberg G, Wickman V. [Backache and headache are common among school children]. *Lakartidningen*. 1991;88(23):2155-7.
- [6] Zitting P, Vanharanta H. Why do we need more information about the risk factors of the musculoskeletal pain disorders in childhood and adolescence? *Int. J. of circumpolar health*. 1998;57(2-3):148-55.
- [7] Bruusgaard P, Smedbråten B, Natvig B, Bruusgaard D. [Physical activity and bodily pain in children]. *Tidsskrift for den Norske laegeforening: tidsskrift for praktisk medicin, ny raekke*. 2000;120(26):3173-5.
- [8] Huang GD, Feuerstein M, Sauter SL. Occupational stress and work-related upper extremity disorders: Concepts and models*. *American J. of industrial medicine*. 2002;41(5):298-314.
- [9] Andersen J, Kaergaard A, Mikkelsen S, Jensen U, Frost P, Bonde J, et al. Risk factors in the onset of neck/shoulder pain in a prospective study of workers in industrial and service companies. *Occupational and environmental medicine*. 2003;60(9):649-54.
- [10] Bernard BP. Musculoskeletal disorders and workplace factors: a critical review of epidemiologic evidence for work-related musculoskeletal disorders of the neck, upper extremity, and low back. *Musculoskeletal disorders and workplace factors: a critical review of epidemiologic evidence for work-related musculoskeletal disorders of the neck, upper extremity, and low back: NIOSH; 1997*.
- [11] Ariens GA, van Mechelen W, Bongers PM, Bouter LM, van der Wal G. Physical risk factors for neck pain. *Scandinavian J. of work, environment & health*. 2000;7-19.
- [12] Palmer KT, Smedley J. Work relatedness of chronic neck pain with physical findings—a systematic review. *Scandinavian journal of work, environment & health*. 2007;165-91.
- [13] Hales TR, Sauter SL, Peterson MR, Fine LJ, Putz-Anderson V, Schleifer LR, et al. Musculoskeletal disorders among visual display terminal users in a telecommunications company. *Ergonomics*. 1994;37(10):1603-21.
- [14] Arora D, Veqar Z. Correlation between endurance of deep cervical flexors and lower scapular stabilisers in computer users with chronic neck pain. *British J. of Sports Medicine*. 2010;44(Suppl 1):i11-i.
- [15] McCracken LM, Spertus IL, Janeck AS, Sinclair D, Wetzel FT. Behavioral dimensions of adjustment in persons with chronic pain: pain-related anxiety and acceptance. *Pain*. 1999;80(1):283-9.
- [16] Evans O, Patterson K. Predictors of neck and shoulder pain in non-secretarial computer users. *Int. J. of Industrial Ergonomics*. 2000;26(3):357-65.

Author Profile



Sana Shahid is Demonstrator, The University of Lahore, Department of Physical Therapy, Lahore



Fahad Tanveer is Senior Lecturer, Azra Naheed Medical College, Department of Physical Therapy, Main Raiwind Road, Lahore



Atif Dustgir is Assistant Professor, Riphah International University, Riphah College of Rehabilitation Sciences, Lahore