

(99.6%) respondents at wrist/hands region, during last 7 days.

3. Conclusion

Present study concludes that there is high frequency of job related musculoskeletal disorders common in bus drivers of Lahore, Pakistan. Most commonly effected regions were shoulder and upper back and least common was wrist/hands region.

References

- [1] Szeto GP, Lam P. Work-related musculoskeletal disorders in urban bus drivers of Hong Kong. *Journal of occupational rehabilitation*. 2007;17(2):181-98. Epub 2007/02/03.
- [2] Jensen A, Kaerlev L, Tüchsen F, Hannerz H, Dahl S, Nielsen PS, et al. Locomotor diseases among male long-haul truck drivers and other professional drivers. *International archives of occupational and environmental health*. 2008;81(7):821-7.
- [3] Tamrin SBM, Yokoyama K, Jalaludin J, Aziz NA, Jemoin N, Nordin R, et al. The association between risk factors and low back pain among commercial vehicle drivers in peninsular Malaysia: a preliminary result. *Industrial health*. 2007;45(2):268-78.
- [4] Robb MJ, Mansfield NJ. Self-reported musculoskeletal problems amongst professional truck drivers. *Ergonomics*. 2007;50(6):814-27.
- [5] Okunribido OO, Shimbles SJ, Magnusson M, Pope M. City bus driving and low back pain: a study of the exposures to posture demands, manual materials handling and whole-body vibration. *Applied Ergonomics*. 2007;38(1):29-38.
- [6] Bovenzi M, Rui F, Negro C, D'Agostin F, Angotzi G, Bianchi S, et al. An epidemiological study of low back pain in professional drivers. *Journal of Sound and Vibration*. 2006;298(3):514-39.
- [7] Szeto GP, Lam P. Work-related musculoskeletal disorders in urban bus drivers of Hong Kong. *Journal of occupational rehabilitation*. 2007;17(2):181-98.
- [8] Krause N, Ragland DR, Greiner BA, Syme L, Fisher JM. Psychosocial job factors associated with back and neck pain in public transit operators. *Scandinavian journal of work, environment & health*. 1997:179-86.
- [9] Akinpelu AO, Oyewole OO, Odole AC, Olukoya R. Prevalence of musculoskeletal pain and health seeking behaviour among occupational drivers in Ibadan, Nigeria. *African Journal of Biomedical Research*. 2013;14(2):89-94.
- [10] Chen J-C, Dennerlein JT, Chang C-C, Chang W-R, Christiani DC. Seat inclination, use of lumbar support and low-back pain of taxi drivers. *Scandinavian journal of work, environment & health*. 2005:258-65.
- [11] Borle A, Gunjal S, Jadhao A, Ughade S, Humne A. Musculoskeletal morbidities among bus drivers in city of Central India. 2012.
- [12] Kuorinka I, Jonsson B, Kilbom A, Vinterberg H, Biering-Sørensen F, Andersson G, et al. Standardised Nordic questionnaires for the analysis of musculoskeletal symptoms. *Applied Ergonomics*. 1987;18(3):233-7.

Author Profile

Muhammad WajahatAslam is Physical Therapist, Azra Naheed Medical College, Department of Physical Therapy, Main Raiwind Road,, Lahore

FahadTanveer is Lecturer, Azra Naheed Medical College, Department of Physical Therapy, Main Raiwind Road,, Lahore

Hafiz SherazArshad is Head of Department/Assistant Professor, Azra Naheed Medical College, Department of Physical Therapy, Main Raiwind Road,, Lahore