

characteristics will increase with the addition of glycerol as plasticizer, but decreasing as the filler ratio increases.

References

- [1] Nurdin, Hendri. 2008. Pengaruh Penggunaan Jenis Serat Pada Komposit Polimer Terhadap Kekuatan Tarik. Staff Pengajar Teknik Mesin Universitas Negeri Padang, Zona Teknik, ISSN 1978 – 1741, Volume 3 No. 2: 143-150.
- [2] Harris, Bryan. 1999. Engineering Composite Materials. The Institute of Material, London. page : 51[3] Awal, A.S.M. Abdul and Siew Kiat Nguong, A Short-Term Investigation On High Volume Palm Oil Fuel Ash (Pofa) Concrete, 35th Conference on Our World In Concrete & Structures: Singapore, 25-27 August, 2010.
- [3] Mustika, Diana Sari and Dadang Setiyawan. 2011. Peluang Bisnis Pemanfaatan Limbah Botol Plastik Menjadi Aneka SouvenirHajatan. Seminar Hasil Penelitian dan Pengabdian kepada Masyarakat. Fakultas Keguruan dan Ilmu Pendidikan Universitas Veteran Bangun Nusantara Sukoharjo.
- [4] Baghaee, Taher, Moghaddam, Mohamed Rehan Karim and Mehrtash Soltani. 2013. Utilization Of Waste Plastic Bottles In Asphalt Mixture. Journal of Engineering Science and Technology, Vol. 8, No. 3 Page: 264 – 271.
- [5] Laksono, Andhi Putro. 2007. Abu Sekam Padi Sebagai Sumber Silika Pada Sintesis Zeloit ZSM-5 Tanpa Menggunakan Templat Organik. Akta Kimindo, Vol. 3, No.1 Oktober 2007 : 33 – 36.
- [6] N. Gontard, S. Guilbert and J. L. Cuq, Water and Glycerol As Plasticizer Affect Mechanical and Water Vapor Barrier Properties of Edible Wheat Gluten Film. J Food Sci, Vol. 58 (1), pp. 206 - 211, 1993.
- [7] Subagia, Ary, I.D.G dan Yonjig Kim. 2013. A Study On Flexural Properties Of Carbon-Basalt/Epoxy Hybrid Composites. Journal of Mechanical Science and Technology. Page: 987-992.
- [8] Clary, Ema Decy Ria Tambunan. 2012. Pengembangan Metode Alir Menggunakan Silica Gel Dari Sekam Padi Untuk Mengatasi Logam Berat Cb (II) dan Zn (II). Program Studi Kimia, Fakultas Matematika Dan Ilmu Pengetahuan Alam, Universitas Negeri Medan, Medan.
- [9] Bakri, 2008. Komponen Kimia dan Fisik Abu Sekam Padi Sebagai SCM untuk Pembuatan Komposit Semen. Jurnal Parennial, 5(1) : 9-14.
- [10] Fajar Galang Agung M., Muhammad Rizal Hanafie Sy., Primata Mardina. 2013. Ekstraksi Silika Dari Abu Sekam Padi Dengan Pelarut KOH. Program Studi Teknik Kimia, Fakultas Teknik, Universitas Lambung Mangkurat, Konversi, Volume 2 No. 1.
- [11] <http://id.wikipedia.org/wiki/Glisero>. Accessed on January 27th, 2015.
- [12] Myllarinen, Effect of Glycerol on Behaviour of Amylose and Amylopectin Films. Carbohydrate Polymers, Vol.50, pp. 355-361, 2002.
- [13] PT Tri Polyta Indonesia Tbk. Pembuatan Kain Non-Woven Ekstrusi Pipi (Pipe Extrusion). Polypropyline Manufacture.
- [14] Ahmad, Ishak., Dayang Ratnasari Abu Bakar, Siti Noradilah Mokhilas and Anita Raml. 2007. Direct Usage Of Products Of Poly(Ethylene Terephthalate) Glycolysis For Manufacturing Of Rice Husk/Unsaturated Polyester Composite. Iranian Polymer Journal, Volume 16, No. 4, Page : 233-239.
- [15] Pavia, D.L., Lampman, G.M., Kriz, G.S., 2001. Introduction To Spectroscopy : A Guide for Students of Organic Chemistry. Singapore : Brooks/Cole Thomson Learning, Page 26.
- [16] Turmanova, Sevdalina., Svetlana Genieva & Lyubomir Vlaev, 2012. Obtaining Some Polymer Composites Filled with Rice Husks Ash-A Review. International Journal of Chemistry; Vol. 4, No. 4, ISSN: 1916-9698 E-ISSN : 1916-9701
- [17] Nigsih, Sri Hartuti. 2015. Pengaruh Plasticizer Gliserol Terhadap Karakteristik Edible Film Campuran Whey dan Agar. Program Studi Peternakan. Fakultas Peternakan Universitas Hasanuddin. Makassar.
- [18] Shivappa,Dr., Ananda.G.K, Shivakumar.N., 2013. Mechanical Characterisation Of Rice Husk Flour Reinforced Vinylester Polymer Composite. International Journal of Innovative Research in Science, Engineering and Technology. ISSN: 2319-8753 Vol. 2, Issue 11.
- [19] Tarmizi, Danil., Kartini Noor Hafni , A. Haris Simamora, 2014. Sifat-Sifat Mekanik Komposit Polipropilena Berpengisi Abu Pembakaran Biomassa Kelapa Sawit. Jurnal Teknik Kimia USU, Article in Press.
- [20] Ibrahim, M. S., S.M. Sapuan and A.A. Faieza, 2012. Mechanical And Thermal Properties Of Composites From Unsaturated Polyester Filled With Oil Palm Ash. Journal of Mechanical Engineering and Sciences (JMES) e-ISSN: 2231-8380; Volume 2, Page : 133-147.
- [21] R. F Sinaga, G. M. Ginting, M. H. S. Ginting and R. Hasibuan. 2014. Pengaruh Penambahan Gliserol terhadap Sifat Kekuatan Tarik Dan Pemanjangan Saat Putus Bioplastik Dari Pati Umbi Talas. Jurnal Departemen Teknik Kimia USU, Medan.
- [22] Hameed, A.M., 2012. Effect of Water Absorption on Some Mechanical Properties of Unsaturated Polyester Resin/ Natural Rubber Blends. Jordan Journal of Physics Volume 5, No. 3, Page : 119-127.
- [23] Schwartz, M. M.,. 1984. Composite Materials Handbook. New York : McGraw Hill Book Company. Page 76.