5. Acknowledgement

The carried out research is realized in the frames of the project BG161PO003-1.2.04-0045-C0001/20.08.2013, Operational Program "Development of the Competitiveness of the Bulgarian Economy" 2007-2013.

References

[1] Bogdanov, S., Noustorova, M., Malcheva, B., 2015. After-effect of fertilization on the microflora of brown forest soils (Distric-Eutric Cambisols) in the region of Western Rhodopes. Ecology and future, 1-2, 23-30 (In Bulg.).
[2] Bending, G.D., Turner, M.K., Rayns, F., Marx, M.C., Wood, M., 2004. Microbial and biochemical soil quality indicators and their potential for differentiating areas under contrasting agricultural management regimes, Soil Biol. Biochem., 36, 1785–1792.
[3] Boteva, H., Cholakov, T., 2009. Effect of potassium fertilization on the quality of the fruit of tomato. International conference, Stara Zagora, Bulgaria, vol. 1, 214-220 (In Bulg.).
[4] Dick, R.P., 1992. A review: long-term effects of agricultural systems on soil biochemical and microbial parameters, Agr. Ecosyst. Environ., 40, 25-36.
[5] Donov V., Gencheva, St., Yorova, K., 1974, Manual of Forest Soil, Sofia, 220 p. (In Bulg.).
[6] Donov, V., Noustorova, M., Yorova, K., 1992. After-effect of mineral fertilization on some microbiological indicators of forest soils, Science for the forest, 2, 41-48 (In Bulg.).
[7] Forge, T.A., Simard, S.W., 2001. Short-term effects of nitrogen and phosphorus fertilizers on nitrogen mineralization and trophic structure of the soil ecosystem in forest clearcuts in the southern interior of British Columbia, Can J Soil Sci, 81, 11-20.
[8] Giacometti, C., Demyan, M., Cavani, L., Marzadori, C., Ciavatta, C., Kandeler, E., 2013. Chemical and microbiological soil quality indicators and their potential to differentiate fertilization regimes in temperate agroecosystems, Applied Soil Ecology, 64, 32-48.
[9] Green, C.J., Blackmer, A.M., Horton, R., 1995. Nitrogen effects on conservation of carbon during corn residue decomposition in soil. Soil Sci. Soc. Am. J., 59, 453-459.
[10] Hart, S.C., Stark, J.M., 1997. Nitrogen limitation of the microbial biomass in an old-growth forest soil, Ecoscience, 4, 91–98.
[11] Kalidasu, G., Sarada, C., Yellamanda, T. 2008. Efficacy of biofertilizers on the performance of rainfed coriander (Coriandrum sativum) in vertisols, Journal of Spices and Aromatic Crops, 17 (2), 98-102.
[12] Karcauskiene, D., Repsiene, R., 2009. Long-term manuring and liming effect on moraine loam soil fertility. Agronomy Research, 7(Special issue I), 300–304.
[13] Koedjikov, H., 1975. Root system of grain cereal, 581 p. (In Bulg.).\
[14] Kucińska, K., Pelc, J., Golba, J., Popławska, A., 2008. The Prospects of Organic Agriculture Development in the Chosen Regions of Poland-Podkarpacie and Kurpie. 16th IFOAM Organic World Congress, Modena, Italy, June 16-20, 2008 [Internet] www: http://orgprints.org
[15] Meena, V.S., Maurya, B.R., Meena, R.S., Meena, S.K., Singh, N.P., Malik V.K., Vijay Kumar and Lokesh Kumar Jat, 2014. Microbial dynamics as influenced by concentrate manure and inorganic fertilizer in alluvium soil of Varanasi, India, African Journal of Microbiology Research, 8(3), 257-263.
[16] Milanov, R., Yorova, K., 1980. Microbiological activity of the soil in coniferous forest tree formations in entering mineral fertilizers. Forestry, 1, 17 – 22 (In Bulg.).
[17] Mostafa, G.G., Abo-Baker, A.A., 2010. Effect of Bioand Chemical Fertilization on Growth of Sunflower (Heliantus annuus L.) at South Valley Area, Asian Journal of Crop Science, 2 (3), 137-146.
[18] Ohtonen, R., 1992. Soil microbial community response to silvicultural intervention in coniferous plantation ecosystems, Ecol. Appl., 2, 363–375.
[19] Périé, C., Munson, A.D., 2000. Ten-year responses of soil quality and conifer growth to silvicultural treatments, Soil Sci. Soc. Am. J., 64, 1815–1826.
[20] Prescott, C.E., Corbin, J.P., Parkinson, D., 1992. Immobilization and availability of N and P in the forest floors of fertilized Rocky Mountain coniferous forests, Plant Soil, 143, 1-10.
[21] Rasmussen, P.E., Albrecht, S.L., Smiley, R.W., 1998. Soil C and N changes under tillage and cropping systems in semi-arid Pacific Northwest agriculture, Soil Till. Res. 47, 197-205.
[22] Smolander, A., Kurka, A., Kitunen, V., Mälkönen, E., 1994. Microbial biomass C and N, and respiratory activity in soil of repeatedly limed and N- and P-fertilized Norway spruce stands, Soil Biol. Biochem., 26, 957-962.
[23] Vlahova, V., 2015. Soil and foliar feeding with fertilizer "Biofa" in organic production of pepper. and future, 1-2, 44-50 (In Bulg.).
[24] Winding, A., Hund-Rinke, K., Rutgers, M., 2005. The use of microorganism in ecological soil classification and assessment concepts, Ecotox. Environ. Saf. 62, 230-248.
[25] Bulletin for plant protection services 18, 2014. http://nivabg.com/brz/byuletin-rastitelna-zashtita-18-seitba-na-rapitsa-nachini-i-sredstva-za-borba-s-vreditelite-po-rapitsa-34/ (In Bulg.)
[26] http://agropolychim.bg/