

should be done for isolation and identification of the antioxidative components of medicinal plants.

References

- [1] Cook N.C. and Samman, S. (1996), Flavonoids chemistry, metabolism, cardioprotective effects, and dietary sources. *Nutritional Biochemistry*, Vol. 7 Page No. 66- 76.
- [2] Ferrari C.K.B, Torres E.A.F.S.; 2002; Biochemical pharmacology of functional foods and prevention of chronic diseases of aging; *Biomedicine & Pharmacotherapy*; 251:258;
- [3] Branen, A.L. Toxicology and biochemistry of butylated hydroxyanisole and butylated hydroxytoluene. *J. Am. Oil Chem. Soc.* 1975, 52, 59–63
- [4] Ito, N.; Fukushima, S.; Hagiwara, A.; Shibata, M.; Ogiso, T. Carcinogenicity of butylated hydroxyanisole in F344 rats. *J. Natl. Cancer Inst.* 1983, 70, 343–352.
- [5] Anonymous. The Wealth of India. Vol. IX. New Delhi: National Institute of Science Communication and Resources; 2003. 3-4
- [6] Ghorbani, A. (2005) Studies on pharmaceutical ethnobotany in the region of Turkman Sahra, north of Iran. *Journal of Ethnopharmacology*, 102(1), 58-68.
- [7] Liyana-Pathiranan CM, Shahidi F: Antioxidant activity of commercial soft and hard wheat (*Triticum aestivum* L.) as affected by gastric pH conditions. *J Agric Food Chem* 2005, 53:2433–2440.
- [8] Teke GN, Lunga PK, Wabo HK, Kuate JR, Vilarem G, Giacinti G, Kikuchi H, Oshima Y: Antimicrobial and antioxidant properties of methanol extract, fractions and compounds from the stem bark of *Entada abyssinica* Stend ex A. Satabie. *BMC Complement Altern Med* 2011, 11:57.
- [9] Prakash D, Upadhyay G, Singh BN, Singh HB: Antioxidant and free radical-scavenging activities of seeds and agri-wastes of some varieties of soybean (*Glycine max*). *Food Chem* 2007, 104:783–790.
- [10] Kroyer GT: Red clover extract as antioxidant active and functional food ingredient. *Innov Food Sci Emerg Technol* 2004, 5:101–105.
- [11] Dajanta K, Apichartsrangkoon A, Chukeatirote E: Antioxidant properties and total phenolics of Thua Nao (a Thai fermented soybean) as affected by *Bacillus*-fermentation. *J Microbial Biochem Technol* 2011, 3:56–59.
- [12] Leong LP, Shui G: An investigation of antioxidant capacity of fruits in Singapore markets. *Food Chem* 2002, 7:69–75.
- [13] Re R, Pellegrini N, Proteggente A, Pannala A, Yang M, Rice-Evans C: Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radic Biol Med* 1999, 26:1231–1237.
- [14] Benzie IFF, Strain JJ: The ferric reducing ability of plasma (FRAP) as a measure of “antioxidant power”: the FRAP assay. *Anal Biochem* 1996, 239:70–76.
- [15] Gao X, Ohlander M, Jeppsson N, Björk L, Trajkovski V: Changes in antioxidant effects and their relationship to phytonutrients in fruits of sea buckthorn (*Hippophae rhamnoides*) during maturation. *J Agric Food Chem* 2000, 48:1485–1490.
- [16] Ordon Ez AAL, Gomez JD, Vattuone MA, Isla MI: Antioxidant activities of *Sechium edule* (Jacq.) swart extracts. *Food Chem* 2006, 97:452–458.
- [17] Kumaran A, Karunakaran RJ: In vitro antioxidant activities of methanol extracts of *Phyllanthus* species from India. *LWT* 2007, 40:344–352.
- [18] Price ML, Van Scoyoc S, Butler LG: A critical evaluation of the vanillin reaction as an assay for tannin in sorghum grain. *J Agric Food Chem* 1978, 25:1214–1218.
- [19] Oktay M, Gulein I, Kufrevioglu I. Determination of in-vitro antioxidant activity of fennel (*Foeniculum vulgare*) seed extracts. *LabensonWiss V. Technol.* 2003; 36: 263-71
- [20] Aydemir T, Becerik S (2011). Phenolic content and antioxidant activity of different extracts from *Ocimum basilicum*, *Apium graveolens* and *Lepidium sativum* seeds. *J. Food Biochem.*, 35: 62-79.
- [21] Elmastas M., Gulcin I., Isildak O., Kufrevioglu O.I., Ibaoglu K., Aboul-Enein H.Y. Radical scavenging activity and antioxidant capacity of Bay leaf extracts. *Journal of Iranian Chemical Society.* 2006; 3(3): 258-266

Author Profile



Suman Tiga is Scientist, M.Sc., Defence Institute of High Altitude Research



Prabhu Prasad Sarangi is Scientist, M.Sc., Defence Institute of High Altitude Research



Dr Om Prakash Chaurasia is Scientist, M.Phil Ph.D, Defence Institute of High Altitude Research



Dr Bhuvnesh kumar is Scientist, M.V.Sc, PhD, Defence Institute of High Altitude Research