





- [3] Olearchyk AS, Runk DM, Alavi M, Grosso MA: Congenital bilateral coronary-to-pulmonary artery fistulas.
- [4] Ann Thorac Surg 1997, 64:233-235. PubMed Abstract | Publisher Full Text
- [5] Urrutia-S CO, Falaschi G, Ott DA, Cooley DA: Surgical management of 56 patients with congenital coronary artery fistulas.
- [6] Ann Thorac Surg 1983, 35:300-307. PubMed Abstract
- [7] Dodge-Khatami A, Mavroudis C, Backer CL: Congenital Heart Surgery Nomenclature and Database Project: anomalies of the coronary arteries. Ann Thorac Surg 2000, 69:270-297.
- [8] Gowda RM, Vasavada BC, Khan IA: Coronary artery fistulas: clinical and therapeutic considerations. Int J Cardiol 2006, 107:7-10.
- [9] Qureshi SA, Tynan M. Catheter closure of coronary artery fistulas. J Interv Cardiol. 2001;14:299-307.
- [10] R.E. Hobbs, H.D. Millit, P.V. Raghavan, D.S. Moodie, W.C. Sheldon Coronary artery fistulae: a 10-year review Cleve Clin Q, 49 (4) (1982), pp. 191–197
- [11] Armsby LR, Keane JF, Sherwood MC, et al. Management of coronary artery fistulae. Patient selection and results of transcatheter closure. J Am Coll Cardiol 2002;39:1026-32.
- [12] Collins N, Mehta R, Benson L, et al. Percutaneous coronary artery fistula closure in adults: technical and procedural aspects. Catheter Cardiovasc Interv 2007;69:872-80.