

- [18] Gloster, J. Flectar, R.F., Quantitative analysis of serum lipids with thin layer chromatography., *clin. Chim. Acta.*, **13**, 235-240; 1966.
- [19] Hahn DA, Denlinger DL. Meeting the energetic demands of insect diapause: nutrient storage and utilization. *J Insect Physiol.* 53:760–73; 2007.
- [20] Haunerland NH, Shirk PD. Regional and functional differentiation in the insect fat body. *Annu Rev Entomol.* 40:121–45; 1995.
- [21] Hines WJW, Smith MJH. Some aspects of the intermediary metabolism in the desert locust, *Schistocerca gregaria* Forskål. *J Insect Physiol.* 9:463–68; 1963.
- [22] Inagaki S, Yamashita O. Metabolic shift from lipogenesis to glycogenesis in the last instar larval fat body of the silkworm, *Bombyx mori*. *Insect Biochem.* 16:327–31; 1986.
- [23] Jensen PV, Borgesen LW. Regional and functional differentiation in the fat body of pharaoh's ant queens, *Monomorium pharaonis* (L.) *Arthropod Struct Dev.* 29:171–84. 2000.
- [24] Jiang Z, Wu XL, Michal JJ, McNamara JP. Pattern profiling and mapping of the fat body transcriptome in *Drosophila melanogaster*. *Obes Res.* 13:1898–904; 2005.
- [25] Keeley LL. Biochemistry and physiology of the insect fat body. In: Kerkut GA, Gilbert LI, editors. *Comprehensive Insect Physiology, Biochemistry and Pharmacology*. Vol. 3. New York: Pergamon; pp. 211–28; 1985.
- [26] Kim SK, Rulifson EJ. Conserved mechanisms of glucose sensing and regulation by *Drosophila corpora cardiaca* cells. *Nature.* 431:316–20; 2004.
- [27] Law JH, Wells MA. Insects as biochemical models. *J Biol Chem.* 264:16335–38; 1989.
- [28] Lefroy H. M. : *Ent. Memories*, 11, 143-146; 1900.
- [29] Locke M and Krishnan N, J. Phospholipids and fatty acid composition of *T. granarium* and biosynthesis of fatty acids during development, *Comp. Biochem. Physiol.*, 39, 183-194; 1971.
- [30] Marintti, G.V., : ed. "Lipid Chromatography Analysis". Vol I *Marcel Dekker. Inc.*, New York; 1967.
- [31] Olofsson S-O, Boström P, Andersson L, Rurberg M, Perman J, Borén J. Lipid droplets as dynamic organelles connecting storage and efflux of lipids. *Biochim Biophys Acta.* 1791:448–8. 2009.
- [32] Soulages JL, Wells MA. Lipophorin: the structure of an insect lipoprotein and its role in lipid transport in insects. *Adv Protein Chem.* 45:371–415; 1994.
- [33] Skipski, V.P., Barclay, M., Reichman, E.S. and Good, J.J., : *Biolchem, Biophys. Acta.*, **137**, 80 1967.
- [34] Van der Horst DJ, van Hoof D, van Marrewijk WJ, Rodenburg KW. Alternative lipid mobilization: the insect shuttle system. *Mol Cell Biochem.* 239:113–19; 2002.
- [35] Venkatesh K, Morrison PE. Studies of weight changes and amount of food ingested by the stable fly, *Stomoxys calcitrans* (Diptera, Muscidae) *Can Entomol.* 112:141–49; 1980.
- [36] Viogue, E, and Holaman, R.T., : Quantitative estimation of esters by thin layer chromatography., *J.Am.oil. chemistis. Soc.*, **39**, 68-66 1962.
- [37] Wagner, H., Horhammer, L. and Wolfe, P.: Thin layer chromatography of phospholipids and glycolipids., *Biochem.*, **2**, 175-184; 1961