

8. Conclusion and Future Work

In this way this proposed work investigations the condition of driver amid driving by perusing the cerebrum signals. The signs gathered by Neurosky have distinctive abundance and recurrence level. This sign are changed over into parcels and sent to the .Microcontroller investigations the consideration and reflection level and controls the vehicle under poor consideration levels. In this way by controlling vehicles it can spare numerous mishaps and can spare numerous lives.

9. Future Work

Going further, implementing this type of devices can reduce the accident, traffic problems. In future these devices can implement in helmet for avoiding the two wheeler accident.

References

- [1] Ali, Md Z. (2012) EEG-Based Assessment of Driver's Cognitive Response In Virtual Traffic Light Environment, The Faculty of the College of Graduate Studies, Lamar University
- [2] American Electroencephalographic Society. (1994). Guidelines for standard electrode position nomenclature. *Journal of clinical neurophysiology*, 11, pp.111-113.
- [3] Cester, I., Riera, A., Whitmer, D., Dunne, S., Soria-Frisch, A. and Allison, B. (2011) Report on Sensors, Signals and Signal Processing, Future Directions in Brain/Neuronal Computer Interaction (Future BNCI)
- [4] Crowley, K., Sliney, A., Pitt, I. and Murphy, D. (2010) Evaluating a Brain-Computer Interface to Categorise Human Emotional Response, 2010 10th IEEE International Conference on Advanced Learning Technologies
- [5] Grierson, M. and Kiefer, C. (2011) Better Brain Interfacing for the Masses: Progress in Event-Related Potential Detection using Commercial Brain Computer Interfaces, CHI 2011, May 7–12, 2011, Vancouver, BC, Canada
- [6] Guðmundsdóttir, K. (2011) Improving players' control over the NeuroSky Brain-Computer Interface, School of Computer Science, Reykjavik University
- [7] Haufe, S., Treder, M.S., Gugler, M.F., Sagebaum, M., Curio, G. and Blankertz, B. (2011) EEG potentials predict upcoming emergency brakings during simulated driving, *Journal of Neural Engineering*, 8, 056001
- [8] Hu, S., Zheng, G. and Peters, B. (2012) Driver fatigue detection from electroencephalogram spectrum after electrooculography artefact removal, *IET Intelligent Transport Systems*, Vol.7, Issue 1, pp.105-113
- [9] Khalilardali, Z., Chavarriaga, R., Gheorghe, L.A. and Millan, J.d.R. (2012) Detection of Anticipatory Brain Potentials during Car Driving
- [10] Kim, J.Y., Park, J.B. and Chung, B.J. (2001) Evaluation of Driver's psychophysiological response in general driving using probability density function, *Proceedings World Conference on Transport Research*
- [11] Kohlmorgen, J., Dornhege, G., Braun, M.L., Blankertz, B., Muller, K-R., Curio, G., Hagemann, K., Bruns, A., Schrauf, M. and Kincses, W.E. (2007) Improving

Human Performance in a Real Operating Environment through Real-Time Mental Workload Detection, MIT Press

- [12] Lei, S., Welke, S. and Roetting, M. (2009) Driver's Mental Workload Assessment Using EEG Data in a Dual Task Paradigm, National Highway Traffic Safety Administration
- [13] Miller, S., 2001 Literature Review – Workload Measures, The University of Iowa
- [14] Min, W. and Luo, G. (2009) Medical Applications of EEG Wave Classification, *CHANCE*, Vol.22, Issue 4, pp.14-20