

- [28] Parle D, Desai D, Bansal A. Estimation of Individual Bite Force during Normal Occlusion using FEA. India: Altair Technology Conference; 2013: 1-9.
- [29] Quinn JB, Quinn GD, Kelly JR, Scherrer SS. Fractographic Analyses of three Ceramic Whole Crown Restoration Failures. Dent Mater 2005; 21: 920-9.
- [30] Zahran M, El-Mowafy O, Tam L, Watson PA, Finer Y. Fracture strength and fatigue resistance of all-ceramic molar crowns manufactured with CAD/CAM technology. J Prosthodont 2008; 17: 370-7.
- [31] Lawn BR, Deng Y, Thompson VP. Use of contact testing in the characterization and design of all-ceramic crown like layer structures: a review. J Prosthet Dent 2001; 86: 495-510.

Author Profile



Amr El-Sayed Khalifa, received the B.D.S. in Dental and Oral Surgery from Alexandria University, faculty of dentistry 2006. During 2006-2007, he practiced in Ministry of Health. During 2008-2009, he serviced in Egyptian military force. Since 2010 till now, he is one of the staff in Removable prosthodontic Department faculty of dentistry. Pharos University Alexandria, Egypt. During 2011-2016, he educated for M.S degree in prosthodontics in prosthetic department, faculty of dentistry. Alexandria University