

are also included to extend the concept of object segmentation. LDA classifier and OCR methods are used for identification of objects and LPI.

The system is efficient and provide accurate result than existing methods. The main application areas are Medical field, Object detection, Traffic control system etc. It may be possible to elaborate the paper in case of real time requirements. It may be possible to modify the method to handle more noisy frames. Possible to elaborate the method to detect a particular object only in a frame.

References

- [1] Emmanuel J. Candès, Xiaodong Li, Yi Ma, and John Wright, "Robust Principal Component Analysis?", December 17, 2009.
- [2] Yawen Xue, Xiaojie Guo and Xiaochun Cao, "Motion Saliency Detection Using Low-Rank And Sparse Decomposition", School of Computer Software, Tianjin University, Tianjin 300072, China
- [3] Zhi Gao, Loong-Fah Cheong, and Mo Shan, "Block-sparse RPCA for Consistent Foreground Detection", ECE Department, National University of Singapore, Singapore.
- [4] Julien Mairal, Rodolphe Jenatton, Guillaume Obozinski, "Network Flow Algorithms for Structured Sparsity", INRIA/ENS/CNRS UMR 8548.
- [5] Kui Jia, Tsung-Han Chan, and Yi Ma, "Robust and Practical Face Recognition via Structured Sparsity", ONR N00014-09-1-0230, NSF CCF 09-64215, NSF IIS 11-16012, and DARPA KECOM 10036- 100471.
- [6] Xiaodi Hou and Liqing Zhang, "Saliency Detection: A Spectral Residual Approach", 1-4244-1180-7/07/\$25.00 ©2007 IEEE.
- [7] Cui, Qingshan Liu, Dimitris Metaxas, "Temporal Spectral Residual: Fast Motion Saliency Detection", MM'09, October 19–24, 2009, Beijing, China
- [8] Liyuan Li, Weimin Huang, Irene Y.H. Gu, Qi Tian, "Statistical Modeling of Complex Backgrounds for Foreground Object Detection", IEEE TRANSACTIONS ON IMAGE PROCESSING, VOL. 13, NO. 11, NOVEMBER 2004.
- [9] Makito Seki, Toshikazu Wada, Hideto Fujiwara, Kazuhiko Sumi, "Background Subtraction based on Cooccurrence of Image Variations", 1063-6919/03 \$17.00 © 2003 IEEE
- [10] Liyuan Li, Weimin Huang, Irene Y.H. Gu, Qi Tian, "Foreground Object Detection from Videos Containing Complex Background", November 2–8, 2003, Berkeley, California, USA.
- [11] Xinyi Cui, Junzhou Huang, Shaoting Zhang, and Dimitris N. Metaxas, "Background Subtraction Using Low Rank and Group Sparsity Constraints", ECCV 2012, Part I, LNCS 7572, pp. 612–625, 2012.
- [12] Xin Liu, Guoying Zhao, Jiawen Yao, and Chun Qi, "Background Subtraction Based on Low-rank and Structured Sparse Decomposition", 10.1109/TIP.2015.2419084, IEEE Transactions on Image Processing
- [13] Michael E. Tipping and Christopher M. Bishop, "Probabilistic Principal Component

Analysis", journal of the Royal Statistical Research society, Series B 61 part 3.

- [14] Aparna M, Suhara S, "Various Aspects On Object Segmentation From Complex Background Videos", ISSN: 2277-9655, IJSERT.

Author Profile



Aparna M is pursuing her M.Tech degree in Computer Science and Engineering from KMCT College of Engineering, Calicut University. She obtained her B.Tech Degree in Computer Science and Engineering from Cochin University of Science And Technology, in 2013.