







improvised by connecting two antennas with corner excitation.. The new antenna works in the range of three frequency operation at 5.77GHz, 7.32GHz and 7.80GHz with consistency of radiation patterns. The antenna is used for wireless communication system applications.

### **Acknowledgement**

We would like thank our Faculty Mr. Deepak kr. Ray & Prof NT Markad for their kind support and guidance. We also like to extend our support to TEQIP-II for funding the software ANSys HFSS.

### **References**

- [1] "Welcome to antennas 101" by Louis E. Frenzel, "Electronic Design" 2008
- [2] Bancroft, R. *Microstrip and Printed Antenna Design* Noble Publishing 2004, chapter 2-3
- [3] Lo, Y.T., Solomon D. and Richards, W.F. "Theory and Experiment on Microstrip Antennas," *IEEE Transactions on Antennas and Propagation*, AP-27, 1979 pp. 137-149.
- [4] "PIFA - The Planar Inverted-F Antenna".
- [5] Iulian Rosu. "PIFA – Planar Inverted F Antenna".
- [6] Taga, T. Tsunekawa, K. and Sasaki, A., "Antennas for Detachable Mobile Radio Units," *Review of the ECL, NTT, Japan*, Vol. 35, No.1, January 1987, pp. 59-65.
- [7] "Inverted-F Antenna (IFA)" at [antenna-theory.com](http://antenna-theory.com)
- [8] Di Nallo, C.; Faraone, A., "Multiband