

# Traditional Ethnomedicinal Plants among the Tribes of District Shahdol, Madhya Pradesh, Central India

Nikhil Kanungo

Department of Botany, Govt. Autonomous P.G. College Chhindwara, Madhya Pradesh - 480001 (India)

**Abstract:** Present paper deals with 30 ethnomedicinal plants have been identified for the treatment of various disease. Harbarium has been prepared which contains information pertaining to botanical name, local name, plants used, their dose and process of administration. A survey of ethnomedicinal plants of Shahdol district has been carried out with co-operation of Tribal villagers.

**Keywords:** Traditional, Ethnomedicinal Plants, Shahdol Tribes

## 1. Introduction

District Shahdol is situated in the north eastern part of Madhya Pradesh state. It is lying between  $23^{\circ}17'47''$  N latitude and  $81^{\circ}21'21''$  E longitude. Total geographical area sums up to 5671 sq./Km. and has a population of 908148. Shahdol is rich in vast resources of forest and minerals. It is bounded in the north by Satna and Sidhi district, in the east by Korea district, in the south by Anuppur district, in the west by Umaria district. The area is full of water springs which come out on the top hill slopes. The Shahdol district has average rainfall is 85.11% and average temperature  $13.6^{\circ}\text{C}$ . The Kol tribes living in some villages situated in and around Shahdol district. They depend solely on their surrounding forest for most of their requirement for food to ethnomedicinal plants.

## 2. Material and Methods

Shahdol district is floristically very rich and harbours a wide range of biodiversity. People living in these forests and adjacent rural areas depend upon plants for their daily needs and food. Kol tribal villagers have good knowledge about

medicinal plants and their uses in different types of diseases. A perusal of literature shows that no systematic study and survey from ethnobotanical and ethnomedicinal point of view has been carried out in the present area of investigation. The present communication deals with 30 ethnomedicinal plants used by the tribal communities in inhabiting the region of Shahdol district for various disease treatment by the Tribes. The plants are arranged alphabetically each by botanical name, family, local name and use of plants. Plants were collected during flowering period with the help of tribals and vaidys. Parts of ethnomedicinal plants used in the treatments of many types of disease and other informations were recorded as stated by the tribals and vaidyas. The specimens were identified with the help of published flora and relevant authorities. Some other workers who have contributed in the field of ethnobotany as Agrawal (1997), Ahirwar (2010, 2010, 2014), Biswas *et al* (2003), Busia (2003), Chopra *et al* (1956), Jain (1963, 1965, 1991, 1981), Khan *et al* (2008), Kirtikar *et al* (1999), Kumar (2007), Kala (2005, 2007), Maheswari (1964), Masih *et al* (2013) and Miller (1990).




Figure 1: Location Map of Madhya Pradesh in District Shahdol.

### 3. Results and Discussion

I have identified 30 Ethnomedicinal plants, which are used by tribals of Shahdol district in their daily life for the

treatment of various diseases. Most of these plants are wild and some plants are cultivated. The ethnomedicinal plants have been listed alphabetically (Table-1).

**Table 1:** Shows Traditional Ethnomedicinal plants uses of Tribes in District Shahdol, Madhya Pradesh

S.No.	Name of Family	Botanical Name	Local Name	Ethnomedicinal Used
1	Apiaceae	<i>Centellaasiatica</i> (L). Urban	Bramhi	Entire plant used as nervine tonic, and skin diseases as weak sedative, cardio depressant, hypotensive and in leprosy.
2	Asteraceae	<i>Ecliptaprostrata</i> L.	Kala Bhegraj	Entire plant tonic given in spleen enlargement and leaf juice given in eczema and as hair tonic.
3	Apocynaceae	<i>Rauwolfia serpentine</i> (L.) Benth.	Sarapgandha	Leaf juice is used as remedy for opacity of cornea. Root is sedative, reduces hypertension.
4	Asclepiadaceae	<i>Calotropisprocera</i> Br.	Madar	Flowers are used in cold, cough and Asthma Powdered Root bark used in dysentery. Fresh leaves in ulcer and as wormicidal.
5	Acantahceae	<i>Adhatoda Vasica</i> Nees	Adusa	Leaf decoction is used in cough bronchitis and rheumatism.
6	Acantahceae	<i>Hygrophilaauticulata</i> (Schum)	Talmakhana	Leaves, seeds and roots are used as diuretics and also for jaundice, dropsy, rheumatism and urinogenital disorder.
7	Amaranthaceae	<i>Achyranthesaspera</i> L.	Chirchitta	Used in cough and its decoction is given in renal dropsy and bronchial infection treatment of phyrroha fever, enlargement of liver and spleen.
8	Bombacaceae	<i>Bombaxceiba</i> L	Semur	Root is stimulant, tonic and chiefly given in impotency.
9	Combretaceae	<i>Terminalia arjuna</i> (Roxb.) Wt. & Am.	Arjun	Bark infusion used in heart troubles and leaf juice in earache, hypertension and as diuretic and has tonic effect in cirrhosis of lever.
10	Cucurbitaceae	<i>Cocciniagrandsis</i> (L). Voigt	Kundru	Juice from leaves and roots is used in diabetes.
11	Cactaceae	<i>Opuntiaelator</i> . Mil.	Nagphani	Baked fruit is given in whooping cough and a syrup of the fruit increases secretion of bile.
12	Caesalpinaceae	<i>Cassia fistula</i> L.	Amaltash	Root with black pepper and leaves of kathal applied to cattle for giving relief to swollen throat.
13	Caesalpinaceae	<i>Cassia tora</i> L.	Chakwda	Leaf and seeds used in skin disease for ring worm and itch.
14	Convolvulaceae	<i>Cuscutareflexa</i> Roxb.	Amarbel	Seeds used in ulcer and liver disorders.
15	Dipterocarpaceae	<i>Shorea robusta</i> Gaertn f.	Sal	Resin is used in skin diseases, diarrheaa and dysentery.
16	Fabaceae	<i>Butea monosperma</i> (Lamk) Tamb	Palas	Seeds are internally administered as an anthelmintic in treatment of round worms. Gum is used in treatment of diarrhoea.
17	Fabaceae	<i>Dalbergiasissoo</i> Roxb	Shisham	Decoction of leaf Useful in gonorrhoea.
18	Fabaceae	<i>Mucunapruriens</i> (L) DC	Kemmach	Root used in paralysis seeds are used as nervine tonic, menses troubles and as vermifuge, strong infusion of roots mixed with honey is given in cholera.
19	Lythraceae	<i>Lawsoniainerdmis</i> L.	Mehndi	Lea paste or decoction used as gargle in sore throat, burns, bruises and skin inflammation, Seeds useful in urinary troubles.
20	Lamiaceae	<i>Leucascephalotes</i> (Wild.) (Roth) Spr.	Gumi	Leaf used as digestive antiseptic and earache and fever. Flowers are used in cough and cold.
21	Lamiaceae	<i>Ocimumamericanum</i> L.	Kali tulsi	Leaf decoction is given in Malaria and abdominal diseases.
22	Menispermaceae	<i>Tinosporacordifolia</i> (L.)Merr	Gurch	Root extract is used in fever, cold cough, as blood purifier, in acidity and jaundice.
23	Meliaceae	<i>Azadirachta indica</i> A. Juss	Neem	Bark, leaf and fruit decoction is antiseptic and used in ulcer, eczema and skin diseases.
24	Mimosaceae	<i>Acacia nilotica</i> (L.) Del.	Babul	Bark used in diarrhea, dysentery and diabetes.
25	Mimosaceae	<i>Albizdialebeck</i> (L.)Willd	Siris	Bark and seeds given in piles and diarrhea.
26	Nyctaginaceae	<i>Boerhaaviadiffusa</i> L.	Punarnava	Root is laxative and used in asthma, jaundice and dropsy.
27	Papaveraceae	<i>Argemonemexicana</i> L	Pilikateli	Stem latex used in dropsy, jaundice and conjunctivitis.
28	Papaveraceae	<i>Papaver somniferum</i> L	Afeem	Flower, fruits and Seeds have pain releasing and sleeping effects and useful in irritating cough, pneumonia, ulcers, gastritis and influenza
29	Rutaceae	<i>Aegle marmelos</i> (L)Corr	Bel	Fruits is given in diarrhea dysentery irritation of alimentary canal, fever and as tonic and cooling agent.
30	Sapotaceae	<i>Madhuca longifolia</i> (Koen) Mac Br.	Mahua	Decoction of bark is used in incurring bleeding gums and ulcers. Flowers are used in cough and bronchitis.

### 4. Acknowledgement

The author is highly thankful to the Principal, Govt. Autonomous P.G. College, Chhindwara for moral support and for granting permission to carry out this work. The author is also very much thankful to the tribal and rural

people for sharing their knowledge on various ethno medicinal plants and their uses.

## References

- [1] Agrawal, D.P. (1997) Traditional Knowledge Systems and Western Science *current science* **73**, 731-733.
- [2] Ahirwar, R.K. (2010) A Survey of Medicinal Plants used by tribals of Anuppur District, central India. *Ind. J. Applied & Pure Bio.* Vol. **25** (II) 227-230.
- [3] Ahirwar, R.K. (2011) Ethnomedicinal Plants Studies in Jaitpur Forest range of Shahdol, District, Central India. *Ad. Plant Sci.* Vol. **24** (II) 681-684.
- [4] Ahirwar, R.K. (2014) Utilization of Medicinal Plants by the Tribes of Bhatiya, District Shahdol, Madhya Pradesh. *Int. J. Sci. and Res.* **3**(9).149-151.
- [5] Ahirwar, R.K. (2010) Ethnomedicinal uses of plant roots from Shadol district of M.P. India. *Ind. J. Appl. Pure Bio.* **25** (1) 71-76.
- [6] Ahirwar, R.K. and Singh, G.K. (2011) Some anti diabetic plants from Dindori District of Madhya Pradesh (India). *Ind. J. Appl. pure Bio.* **26** (2) 269-271.
- [7] Biswas, T.K. and Mukherjee, B. (2003) Plant Medicines of Indian Origin for Wound Healing Activity: A Review. *International Journal of Lower Extremity Wounds*, **2**, 25-39.
- [8] Busia, K. (2005) Medical Provision in Africa-Past and Present. *Phytotherapy Research*, **19**, 919-923. <http://dx.doi.org/10.1002/ptr.1775>
- [9] Chopra R.N., Nyar SL & Chopra I.C. (1956) Glossary of Indian Medicinal Plants, Council of scientific and Industrial Research, New Delhi.
- [10] Hemadri, Koppala & Rao, S.S. (1989) Folk Medicine of Bastar. *J. Ethnobotany* **1**, 61-66.
- [11] Jain S.K. (1963) Observation on the Tribals of Madhya Pradesh *Vanyajati*. **11**, 177-183.
- [12] Jain, S.K. (1991) Dictionary of folk Medicines and Ethnobotany, Deep Publications, New delhi.
- [13] Jain, S.K. (1981) Glimpses of Ethnobotany, Oxford & IBH. New Delhi.
- [14] Jain, S.K. (1965) Medicinal Plant lore of tribals of Bastar *Econ. Bot.* **19**, 236-250.
- [15] Jain, S.P. Singh, S.C. (1994) Ethno-medico-botanical survey of Ambikapur, Madhya Pradesh, IV ICE, Lucknow, Nov. 17-21.
- [16] Khan, A.A., Agnihotri, S.K., Singh M.K & Ahirwar, R.K. (2008) Enumeration of certain Angiospermic plants used by Baiga tribes for Conservation of Plants Species. *Plant Archives* **8**, (I) 289-291.
- [17] Kirtikar, K.R. & Basu, B.D. (1999) Indian Medicinal Plants ( International book Distributors Book sellers and Publishers, Deheradun.) Vol. **3**.
- [18] Kumar, K. (2007) Working Plan of North Surguja, Ambikapur Forest Department Govt. of Chhattisgarh, Raipur.
- [19] Khan, A.A., Agnihotri, S.K., Singh M.K & Ahirwar, R.K. (2008) Observation of Certain Plants used in skin diseases by Baiga Tribes of Mandala district. *Plant Archives* **8**, (I) 283-284.
- [20] Kala, C.P. (2007) Local Preferences of Ethno-Botanical Species in the Indian Himalaya: Implications for Environmental Conservation. *Current Science*, **93**, 1828-1834.
- [21] Kala, C.P. (2005) Indigenous Uses, Population Density and Conservation of Threatened Medicinal Plants in Protected Areas of the Indian Himalayas. *Conservation Biology*, **19**, 368-378. <http://dx.doi.org/10.1111/j.1523-1739.2005.00602.x>
- [22] Maheswari, J.K. (1964) A Contribution to the Flora Kanha National Park, Madhya Pradesh *Bull. Bot. surv. India.* **5**(2), 177-140.
- [23] Masih, V., Sahu, P.K. and Singh, M. (2013) Observation on Ethno-Medicinal Herbs of Dantewada, Chhattisgarh India. *International Journal of Drug Discovery and Herbal Research*, **3**, 644-648.
- [24] Miller, N.N., (1990) Traditional medicine in East Africa, America universities field staff report, **22**, pp 1-15.