

# Generic Communication Framework for Internet of Things

Amol Dande<sup>1</sup>, S. K. Pathan<sup>2</sup>

<sup>1</sup>Smt. Kashibai Navale College of Engineering, Pune, Maharashtra, India

<sup>2</sup>Professor, Smt. Kashibai Navale College of Engineering, Pune, Maharashtra, India

**Abstract:** *Internet of Things the name explains about itself ,internet is network of network where heterogeneous machine are connected to share the information among different clients. Things are the sensors connected to this network. Network layer and physical layer wrapped together with specific application layer to form IoT, which becomes domain specific .There are various frameworks exists which are dependent on specific domain, if new domain comes, ultimately there is need to create new framework. In this paper we proposed generic communication framework which is common platform for all the domains , where IoT can be used and existing framework can be reused. It is beneficial to analyze data efficiently and future prediction.*

**Keywords:** Internet of Things, IoT solutions, email communication, data storage and analysis, machine to machine communication, cloud structure for IoT.

## 1. Introduction

IoT network infrastructure consists of multiple devices (sensors) are connected using communication protocols. IoT is n/w of n/w anything can be accessed from anywhere via various application programming interface. In IoT there is a continuity to development, future scope can be estimated by a mixture of variety of technology path and various IT concepts which consist of CC, Hadoop, Robot and other different fields. The concept is came from ubiquitous computing , so these ideas lap in few component can be service infrastructure ,technical, visualization, ability of system to work with other system, self-decision, actual innovators can see great the vision of complementary instead against separate fields. The inference of concept IoT can be globally defined as the completeness of presence things, an IoT area of world may be connected to object everywhere on the planet. As like as computer network and the ubiquitous computing works as per the human body, such as human neurons are capable for taking the decision simultaneously likewise this way or path can be used in IoT for higher utilization and fast decision making. Devices deeply embedded in public and private places will recognize us and adapt to our requirements for comfort, safety, streamlined commerce, entertainment, education, resource conservation, operational efficiency and personal well-being.”, according to Intel’s report “Rise of the Embedded Internet [1].Four companies are emerging as IoT leaders: Intel in the semiconductor space, IBM and Microsoft in the platform/analytic s space and Cisco in the connectivity.In addition, designate one author as the “corresponding author”. This is the author to whom proofs of the paper will be sent. Proofs are sent to the corresponding author only [2].

## 2. Related work

There exist various [3] application under different domains in Internet of Things. Internet of things is application driven which tends to new innovation, most common domains are

Smart wear, Transportation, Home-appliances, information of environment, and human Care. And some of the challenges are in the system of one technology get communicates with other technology made system architecture , Privacy and Security preserving, smart physical object(things), realistic and flexible. AI- most all the applications are domain specifics. One of the applications designed to human safety.

### A. Industries towards the IoT

IoT is described as the broad idea behind these buzzwords is that a whole constellation of inanimate objects is being designed with built-in wireless connectivity, so that they can be monitored, controlled and linked over the Internet via a mobile app. [4] The types of objects span a wide range of categories, from wearables to light bulbs to home appliances (like the coffee maker, washing machine, and Even your car) really, anything. [5]IoT is also being applied to vertical markets like the medical and health-care industry and to transportation systems. At this point, the easier question might be who isn’t working on an IoT product.[6] Big names like Samsung, LG, Apple, Google, Lowe’s and Philips are all working on connected devices, as are many smaller companies and start-ups.[7] Research group Gartner predicts that 4.9 billion connected devices will be in use this year, and the number will reach 25 billion by 2020.

### B. IoT Controllers and hardware’s:

There are various micro controllers and development boards are available to implementing the IoT. Some of the controllers list is given below.

IoT Hardware		
No	H/W	Summary
1	Raspberry-pi 2	The Open source, Broadcom BCM2835 700MHz processor, GPIO: 8 pins, SD Card socket, HDMI and connectivity via Ethernet
2	Microsoft IoT pack for Raspberry-pi	Open source device and gets you started with Win 10 Core, ARM9 200MHz processor, 8 digital inputs, 2 analogue inputs, 2 digital outputs, 2 serial ports RS-232, 1 serial port RS-485 and built-in web server. Connectivity via Ethernet.
3	Arduino-Uno	Open source, ATmega328 microcontroller, 14 digital and 6 analogue I/O pins, 32k Flash Memory and Internet connectivity via Shields
4	Beagle Bone	Open source, AM335x 1GHz ARM® Cortex-A8, 2GB of on-board flash, a microSD card reader, HDMI, GPIO 65 pins, and connectivity via Ethernet.
5	Wunder Bar	Open source SDK, Main circuit: NXP LPC1837 Cortex M3, connectivity via WiFi BTLE And 6 sensor circuits with Cortex M0 processor and connectivity via BTLE: light/colour/proximity, Gyroscope / Accelerometer, Thermometer / Humidity, IR Transmitter (remote control), Sound and Bridge/Grove with 2 GPIO pins
6	IoT Development Platform	Oracle Java ME environment, Customised ARM-based processor, 3G/2G mobile connectivity, WiFi, GPS, Oracle JavaME Embedded SDK, Low Level Device I/O Access, AC adapter and Battery with onboard charging
7	ARMmbed	For IBM cloud environment, ARM® Cortex™-M4 Core, 128x32 Graphics LCD, 5-way joystick, 2 x Potentiometers, speaker, accelerometer and temperature sensor
8	Waspnote	Open source, ATmega1281, Over-The-Air programming, 60 sensors available to connect to Waspnote, On-Board Temperature and Accelerometer, Hibernate mode consumes just 0.06µA, connectivity: 3G/GPRS, WiFi, BT
9	ThingsEE One	Open source, ARM® based Cortex®-M3, 2G / WiFi connectivity, accelerometer, temperature/humidity, GPS, orientation with 9-axis inertial module, ambient light sensor, SD card slot and one-year-battery-life with 1900mAh battery (charge via mUSB).

Internet of Things has moved on from high-level hype towards concrete ideas and products, and a growing business developer community is eagerly looking for either suitable hardware for rapid prototyping or devices with which to deploy their ideas. We thought we'd compile a list of some of the more prominent hardware options on the market [15]

### C. Cloud Structure for IoT:

Now you can harness the power of the Internet of Things and turn the data generated by every one of your customers, partners, devices, and sensors into meaningful action. [9]With IoT Cloud you can process massive quantities of data, build business rules with simple, intuitive tools, and engage proactively with customers in real time [10]. [11] The

Bosch IoT Suite provides the foundation for service enablement, both in terms of connecting things to the Internet – reliably, securely, cost effectively and at scale – and in terms of delivering the backing application logic for value-added services. It is made up of a set of software services that provide all of key middleware capabilities needed to build a sophisticated IoT application from top to bottom. Customers can use any combination of these IoT services as needed to rapidly implement the desired solution. IoT is vast, diverse and constantly changing. IoT data from billions of interactions between devices and people is not only massive, it is complex and variable. Predefined programs aren't up to the task of analysing it. And traditional systems can't make sense all IoT data combined with unstructured data, like weather and social. A cognitive IoT can make sense of all types of data. In fact, it can choose its own data sources and decide which patterns and relationships to pay attention to. It uses machine learning and advanced processing to organize the data and generate insights. A cognitive IoT can also evolve and improve on its own through learned self-correction and adaptation. IBM released Watson cloud-platform for Internet of Things [12].


[13] The AWS IoT Device SDK helps you to easily and quickly connect your hardware device to AWS IoT. It provides enhanced features so that your hardware device can seamlessly and securely work with the device gateway and device shadow provided by AWS IoT. The AWS IoT Device SDK includes open source libraries, the developer guide with samples, and the porting guide so that you can build innovative IoT products or solutions on your choice of hardware platforms. [14] Cisco Internet of Things (IoT) Cloud Connect is our new mobility-cloud-based software suite. It offers a complete solution for mobile operators to provide exceptional IoT experiences. Cisco IoT Cloud Connect helps you find new ways to make money, while fully optimizing and utilizing your networks. Cisco provides granular, real-time visibility and updates across every level of the network—transport and user, access, core, and cloud.

### D. Comparison with similar system

**Table**

Parameter/System	Existing System	Proposed Work
Automation	Yes	Yes
Application Domain	Domain Specific	Generic
Manual Control	No	Yes
Access Devices via E-mail	No	Yes
Integration Of Multiple IoT Application	No	Yes
Text Notification	Yes	Yes

### 3. Proposed Work



In IoT the notification can be given by various different ways. Such as notification can be given through audio, video, text message, email, software based application. Almost maximum user uses the email for communication. It is standard and professional way to communicate with each other. It's also secure way to communication. To more generalize the all the domain in to one, we have proposed one way to generalize all the domain. This generalized framework and the techniques used to communication are standard. It is being used in all the industry. It is better to use standard way of communication. And lots of features can be provided through this way, so we have proposed IoT based email system to generalize all the domain. Using this technique the notification send by email and text message alert. Automation consist in Internet of Things in itself, and the we provided the manual control over the things which are connected to the node which is connected to the internet. Not only the manual configuration and control is provided but also the summary of events and actions performed on it and much more details are tracked and all logs maintained and can be analyzed using the different data mining techniques which could be used for finding the causes of failure and tells what care should be taken. This way it provides various benefits in all the domains. Definitely the performance of such all domain systems get increases. In the proposed architecture the email is used as a communication medium. There are various clients as shown in architecture. The primary email services are provided to the email client and the IoT serveries also. One of the example is controlling the things from remote location from desktop mobile as remote con-troller etc. The system is completed deployed on the cloud. The different types of database are used to store the sensor as well as the primary email information, all exists on cloud. This system is generic which can be used in all the domains like industry, college, home etc, for automation. There can be multiple number of smart devices (things) under different domains and can be controlled, traced from only one generic application that is IoT based e-mail system. We can store the all the information of events and the action taken on event.




Figure: IoT email-system with cloud

#### 4. Mathematical Model

$M :=$  IoT based E-Mail System with cloud  
 $Start :=$  Human/Things  
 $End :=$  Alert  
 $X :=$  Event, Control, Threshold  
 $Y :=$  Action, Notification  
 $Deterministic\ Data(DD) :=$  Action, Alert, Type-Event  
 $Non-deterministic\ Data(NDD) :=$  Event-Time  
 $F_{main} :=$  E-mail as communication medium  
 $F_{friend} :=$  Cloud  
 $F_{memory} :=$  Emailmem ;MMCMem  
 Let A be the set of action  
 $A = \{a_1, a_2, a_3, \dots, a_n\}$   
 T be the set of things (sensors/object) connected to internet  
 $TH = \{th_1, th_2, th_3, \dots, th_n\}$   
 ET be the set of time of occurrence of the event  
 $ET = \{et_1, et_2, et_3, \dots, et_n\}$   
 E be the set of event  
 $E = \{e_1, e_2, e_3, \dots, e_n\}$   
 THR be the set of threshold values  
 $THR = \{thr_1, thr_2, thr_3, \dots, thr_n\}$

$$X: \forall e_i \in E$$

$$Y = (e_i \rightarrow a_i \in A) \wedge (thr_i \in THR) \rightarrow (nt_i \in NT \wedge Email_{min\_mem})$$

Where,  
 $a_i = \{on, off, read, write\}$   
 $thr_i \in (V_k \vee V_{k+1} \dots V_{n-k})$   
 Where,  
 $k=1,2,3,4 \dots, n$

Above mathematical model represents the whole system. Set theory is used to represent the system. As it is represented the entry points are human and things and denoted by symbol S i.e. starting point. End point is the alert to be sent to the respective user. Event and the threshold value are the input for the system denoted by X and output is alert or notification denoted by Y. there are deterministic and non-deterministic data. Action, event, type of event are the deterministic data where as event time is the non-deterministic data which can't be predicted. And finally output will be alert will be given to the user in the form of e-mail.

### 5. Algorithm

E=Set of Events  
 D=Set of Devices  
 A = Set of Action {a1 = ON, a2 = OFF, a3 = Read, a4 = Write}  
 $x: \forall e_i \in E$   
 $i = 1$   
 for  $i = 1$  to D;  
     if ( $d_i(Required\_value) > (th_i \in THR)$ )  
         1]  $Y := (e_i \rightarrow a_i \in A)$   
         2] (send\_packet(servId, clientId))  
         3] (send\_notification(mail))  
     else  
         return;

### 6. Result

This way we have implemented the IoT based efficient mail system, where we provide the automation and manual control to the user via email system. User can control the home appliances via this email system. If something or devices consuming the electricity unnecessarily the system get OFF automatically and notification will be send to the user via email.



Fig. e-mail notification

Device	Pin No	Actions	Control
IR sensor	02	ON	OFF
Device	03	ON	OFF
Device	04	ON	OFF
Device	05	ON	OFF
Device	06	ON	OFF
Device	07	ON	OFF
Device	08	ON	OFF
Device	09	ON	OFF
Device	10	ON	OFF
Device	11	ON	OFF
Device	12	ON	OFF
Device	13	ON	OFF
Device	14	ON	OFF
Device	15	ON	OFF
Device	16	ON	OFF
Device	17	ON	OFF
Device	18	ON	OFF
Device	19	ON	OFF
Device	20	ON	OFF
Device	21	ON	OFF
Device	22	ON	OFF
Device	23	ON	OFF

Fig. devices controlling window

### 7. Conclusion and Future work

IoT is growing rapidly almost all the domains are impacting by Internet of Things. Every-things is changing from manual to automate. Internet of Things is itself automatization and everything is getting smart work. To making the work efficient and more Internet of Things plays very big role by doing smart work. So to making the almost all the work easy in all the domains IoT is used. And for the secure and efficient communication as well as the alert or notification is the best and efficient way. To generalize and for secure as well as the standard way of communication is e-mail. Even currently almost all system deployed on the cloud for better performance and various benefits of cloud ,one of the property is the sharing the resources. It is better to use e-mail as communication medium with cloud.

### 8. Acknowledgement

This work is sponsored by DSM Bhalerao Infotech, Mundhwa- pune.

## References

- [1] S. M. Metev and V. P. Veiko, Laser Assisted Microtechnology, 2nd ed., R. M. Osgood, Jr., Ed. Berlin, Germany: Springer-Verlag, 1998.
- [2] Perera, Charith, et al, "A survey on internet of things from industrial market perspective", Access, IEEE 2 (2014): 16601679.
- [3] Gazis, Vangelis, et al."Short Paper: IoT: Challenges, Projects,Architectures". Intelligence in Next Generation Networks (ICIN), 2015 18th International Conference on. IEEE, 2015.
- [4] TCS ,2015 , Internet of Things Solutions, [online]Available , <http://iot-analytics.com/product/iot-company-ranking-q3q4-2015/>
- [5] M. Wegmuller, J. P. von der Weid, P. Oberson, and N. Gisin, "High resolution fiber distributed measurements with coherent OFDR," in Proc. ECOC'00, 2000, paper 11.3.4, p. 109.
- [6] Perera, Charith, Chi Harold Liu, and Srimal Jayawardena. "The emerging internet of things marketplace from an industrial perspective: a survey."Emerging Topics in Computing, IEEE Transactions on 3.4 (2015): 585-598.
- [7] Al-Fuqaha, Ala, et al. "Internet of things: A survey on enabling technologies, protocols, and applications." Communications Surveys & Tutorials, IEEE17.4 (2015): 2347-2376
- [8] K.Kujala (Thursday, 29 Oct, 2015 ) , quality hardware list of IoT project s, [online] Available <https://thingsee.com/blog/quality-hardware-list-for-your-iot-projects>.
- [9] Kantarci, Burak, and Hussein T. Mouftah. "Sensing services in cloud-centric Internet of Things: A survey, taxonomy and challenges." Communication Workshop (ICCW), 2015 IEEE International Conference on. IEEE, 2015
- [10]Salesforce (2016) , Introducing salesforce IoT cloud powered by thunder , [online] Available <http://www.salesforce.com/in/iot-cloud/>
- [11] Bosch (2006) ,Internet of Things platform , [online] Available <https://www.bosch-si.com/products/bosch-iot-suite/iot-platform/benefits.html>
- [12]C O'conner (2016) Challenges of Internet of Things , [online] Available <http://www.ibm.com/internet-of-things/learn/what-is-watson-iot/>
- [13]Amazon (2016) AWS IoT Device SDK, [online] Available <https://aws.amazon.com/iot/sdk/>
- [14] cisco (2015) cisco IoT cloud connect [online] Available <http://www.cisco.com/c/en/us/solutions/service-provider/iot-cloud-connect/index.html>



**Shaffi K. Pathan** He is having more than 13 year of teaching experience and now currently working as a Asst. Prof. in Smt. Kashibai Navale College of Engineering, Pune for 7 years. He has worked as alecturer in MIT Engineering College, Au-rangabad for 7 years. Taught the sub-ject like Computer Organization, ComputerGraphics, Operating System, Network and Information Security, Information security and audit manage-ment, Java Programming Language. He has published four research paper in International Journal and eleven research paper in national conference. He can be reached as [skpathan@sinhgad.edu](mailto:skpathan@sinhgad.edu)

## Author Profile



**Amol J. Dande** He is post graduate stu-dent in Department of Computer Engineer-ing at STESs Smt. Kashibai Navale Col-lege of Engineering, Pune. He has ob-tained his B.Tech in Computer Engineer-ing from Savitribai Phule Pune Univer-sity, Pune, India.

Research Area: Internet of Things.