

Investigation of the Effect of Atmospheric Temperature on Signal Strength Generated by FM Transmitter in Imo State, Nigeria

Prince Chigozie Iwuji¹, Donatus Enang Bassey²

^{1, 2} Electronics and Computer Unit, Department of Physics, University of Calabar, Cross River State, Nigeria

Abstract: *This study reviews the effect of temperature on the signal generated by the frequency modulated transmitter of the Imo State Broadcasting Cooperation (Orient 94.4 FM) within some selected routes in Imo State, Nigeria. The research was carried out between the months of April and June 2016. The equipment used to measure signal strength in the study areas is a constructed Signal Strength Meter (SSM). Holo Ambient Temperature Pro {Thomas Otero (H3R3TIC)} was used to measure the atmospheric temperature along the routes of signal measurement. Measurements were taken in different months, on different days, at different times of the day, and at different temperature. The average results of these measurements were then taken and the data obtained from the measurements were tabulated and subsequently plotted in a graph to ascertain the variation in signal strength along the different routes. It was observed from this research that the rise in atmospheric temperature will lead to a drop in strength of the signal generated by Orient 94.4 FM transmitter. It can therefore be postulated that temperature varies inversely with the signal strength as long as the transmission parameters remain constant.*

Keywords: Temperature, Signal Strength, Transmission, Measurement, Transmitter

1. Introduction

It has been discovered that signal strength generated by radio is affected by temperature and relative humidity. Signal strength decreases as the temperature rises and increases with increasing relative humidity [1]. Most wireless systems operating outdoors are unprotected from varying weather conditions, which may result in intense deterioration in network performance [2]. Consequently, it is important that the factors affecting radio network performance should be discovered in order to lessen their effect and adjust to changing weather condition. This weather variation is a significant problem of humanoid interest as they influence man's day-to-day existence in numerous ways. These variations are usually measured with facile measuring devices or by noting resultant variations in parameter reliant on the weather metrical being measured. The best way to do this is by determining the radio networks feature [3]. In an ideal environment, radio signals are affected by earth's shape, atmospheric parameter like temperature, humidity, wind, and interaction with the object on the ground such as hills, trees, water body, valley, mountains, buildings, etc. [4].

The quality of radio frequency networks in an actual environment is affected by various atmospheric components. The atmosphere may reflect the radio frequency network to the earth as a result of its index of refraction due to its pressure, temperature, wind, and humidity which are elements of weather [5]. Presently, the physical and weather occurrences related to the several active methods in the actual nearby external environs (e.g., the external stratum), are inadequately inferred. Through the accurate description of occurrences in the actual ecosphere, there are some possibilities in finding an experimental procedure that relates strongly with actual ecosphere facts. Consequently, this is used as a way of calculating these definite methods. This can further be used to correctly describe the

atmospheric influence of the atmosphere on radio frequency waves [6].

The moderately hot air is seen near the earth surface. As altitude increases, the air steadily becomes cooler in the troposphere segment of the atmosphere. Most times, a rare condition occurs in which warm air layers appear beyond cool air layers. This is known as temperature transposition or temperature inversion. These temperature transpositions result to channels of cool air such that radio wave can be transported by the channel overextended space further from expectancy [7]. Tropospheric ducting mainly arises in the springtide and drops owing to temperature transposition, where the temperature of the atmosphere really increases with elevation. Temperature inversion occasionally enables some other frequency modulated broadcasting stations positioned outside line-of-site to obstruct the endemic stations on same frequency. The obstructing station can most times be robust enough to dominate endemic stations such as Orient 94.4 FM. This commonly happens in the early hours of the morning and its effects will disappear totally by afternoon [8].

Most times the signals of Imo State Broadcasting Corporation radio station (Orient 94.4 FM) basically do not cover areas on the fringe of the state. Terrain, technical deficiencies from the transmitting station, and atmospheric parameter such as temperature leads to a poor signal reception in those fringe areas. The aim of this research is to investigate the effect of atmospheric temperature on signals generated by Orient 94.4 FM transmitter along some selected routes in Imo State, Nigeria. This research is deemed necessary due to expectation from the government, the regulator, and consumers on the various benefits that good signal strength within the research area would provide.

2. Study Location

Volume 7 Issue 6, June 2018

www.ijsr.net

Licensed Under Creative Commons Attribution CC BY

Imo state is a state located in the southeastern part of Nigeria. Owerri is the capital of Imo state and her largest city. Imo state is between longitude 6°50'E and 7°25'E, and latitude 4°45'N and 7°15'N with an area of about 5, 100 sq km [9]. The state has a humid weather with substantial rainfall in most part of the months, with a short period of dry season. The average yearly temperature in Imo state is 26.4°C. The highest average temperature is recorded in March at about 27.9°C, while 25.0°C is the average temperature recorded in August which is the coldest month of the year [10].

Imo State Broadcasting Corporation (Orient 94.4FM) is an FM radio station band with her office located at Chief Achike Udenwa Avenue, New Owerri, Owerri municipal, Imo State, Nigeria. Orient 94.4FM wave radio band broadcasts news, sports, entertainment, music, songs, etc. Orient FM currently transmits using a 4.2 kW transmitter and has an antenna which is about 1000feet high. Orient FM and Television broadcasting frequencies are 94.4 kHz (Radio) and 775.25 MHz (TV), respectively.

3 Literature Review

It has been shown that wireless sensor systems functioning in outdoors are open to changing weather conditions, which may result to serious dilapidation in the performances of the radio broadcasting system. Thus, it is important to discover the elements affecting radio link quality in order to lessen their effect and adjust to erratic conditions [2]. Precipitation and temperature do not significantly affect the transmission of TV signals. Although this does not result to a major problem, they have more effect on UHF when compared to VHF. However, for a long distance away from the transmitting station (greater than 25 miles), weather may have an important effect on VHF signals. The effect is most likely due to natural phenomena along the path of transmission like a shed, the siding, and a hill or cliff reversing the signals divergently when they are wet or cold. Consequently, this may result to multi-path, where the signal from the transmitting station is lost by the reflected signal by some of these natural phenomena [11].

Temperature appears to be the superlative descriptive parameter for the variation of signal strength, and it has an adverse and rectilinear consequence on signal strength generally. Immense relative humidity may have some certain consequence, especially when the temperature is below 0°C. The connection between weather variables and signal strength differ with respect to radio station and connection. However, the use of frequency multiplicity will lessen these effects. Low transmitter power, in most cases, leads to a minor in explicable disparity in signal strength received and consequently higher connection with the weather parameters [2].

Variation of weather arises due to changes in temperature which leads to differences in the density of water and air and subsequently pressure gradients which excites the flow of those fluids (water and air). At the lower part of the atmosphere, weather parameters affect radio signal transmission at frequencies above 30MHz. The change that arises in the lower atmosphere relatively influences the

efficiency of the radio transmission system. This, however, is due to geometric dispersion of index of refractive in the atmosphere. Variation in Refractivity is accountable for several occurrences in the radio wave transmission such as elevation and range error in detector procurement, fading and refraction of electromagnetic waves, scintillation and ducting [12].

4 Methodology

The study to investigate the effect of atmospheric temperature on Orient 94.4 FM transmitter along some selected route in Imo state was carried out between the month of April and June 2016. The equipment used to measure signal strength in the study areas is a constructed Signal Strength Meter (SSM). The modulated signal from the transmitting station is received by the signal strength meter through the antenna. The antenna used in this design is the ferrite coil antenna. The ferrite coil antenna is made up of turns of copper on a carbon. It has better reception in FM and AM, but the reception is far much better in FM receivers. The signal strength monitor of the SSM is a meter attached to all the stages of the SSM so as to calculate the signal per stage and give out a particular value for the strength in decibel. The meter displays the relative strength of the signal on the channel tuned. It is used as a basis for signal comparison and in the monitoring of network. The atmospheric temperature was measured using Holo Ambient Temperature Pro {Thomas Otero (H3R3T1C)} along the routes of signal measurement. Measurements were taken in different months, on different days and at different times of the day, and at different temperature. The average results of these measurements were then taken and the data obtained from the measurements were tabulated. Subsequently, a graph was plotted to ascertain the variation in signal strength along the different routes.

5 Result and Analysis

Investigations of the effect of atmospheric temperature on signal strength generated by Orient 94.4 FM were carried out in different months, on different days, at different temperature, and at different times of the day. The values of the signal strength obtained from the field measurements were plotted against temperature to generate the corresponding signals strength summaries for each route where the investigations were carried out. The results of the findings were collected with respect to the routes where the investigation was done. Table 1 shows the characteristics of the different routes. Table 2 shows the characteristics of the transmitting station. Table 3 shows signal strength variation with temperature along route A, B, and C at a distance of 20km from the transmitter, while Table 4 shows signal strength variation with temperature along route D, E, and F at a distance of 20km from the transmitter.

Table 1: Definition of the research's route

Routes	Pathway/Definition	Distance from transmitting station (Km)
A	Owerri – Onitsha Road	84.5
B	Owerri– Orlu Road	45.5
C	Owerri–Okigwe Road	61.3
D	Owerri– Aba Road	68.9
E	Owerri – Port Harcourt Road	94.5
F	Owerri – Nekede	23.6

Table 2. Characteristics of the transmitting station

Serial No.	Characteristics	Description
1	investigated station position	Long. 7.04° & Lat. 5.45°
2	Base station's transmitting power	4.2 KW
3	Base station frequency (MHz)	94.4 MHz
4	Transmitter in use	ZHC 10 KW
5	Height of transmitting mask	304.8 m
6	Elevation of propagating aerial	15.24 m
7	Propagating aerial gain	30.02 m
8	Height of receiving antenna	Inbuilt

Table 3: Signal strength variation with temperature along route A, B, and C at a distance of 20km from the transmitter

Temperature (°c)	Signal Strength (dB)		
	Route A	Route B	Route C
23	70	40	40
26	70	40	40
28	60	20	36
29	68	20	20
26	60	42	20
24	60	40	30

Table 4: Signal strength variation with temperature along route D, E, and F at a distance of 20km from the transmitter

Temperature (°c)	Signal Strength (dB)		
	Route D	Route E	Route F
23	30	20	20
26	20	10	18
28	20	10	5
29	10	0	0
26	20	8	5
24	20	12	5

Analysis of the Impact of Temperature on Signal Strength Generated by Orient FM Transmitter

Figure 1 shows the graph of signal strength variation with temperature along route A, B, and C at a distance of 20km from the transmitter. On the other hand, Figure 2 shows a graph of signal strength variation with time along route D, E, and F at a distance of 20km from the transmitter.




Figure 1. A graph of signal strength variation with temperature along route A, B and C at a distance of 20km from the transmitter




Figure 2. A graph of signal strength variation with time along route D, E and F at a distance of 20km from the transmitter

Figure 1 and Figure 2 shows the variation of signal strength with temperature. Thus, signal strength decreases with increase in temperature and vice versa. For instance, from Figure 1 along route B, the signal strength measured when the temperature was 23°C was 40 dB at a distance of 20 km from the transmitter. The signal strength at the same distance of 20 km decreased to 20 dB at a temperature of 29°C. However, when the temperature dropped from 29°C to 26°C, the signal strength was discovered to have increased again to 42 dB. The signal strength further drops to 40 dB when the temperature drops to 24°C from 26°C. In Figure 2, the signal strength at route D dropped from 30 dB at a temperature of 23°C to 20 dB at 26°C. The signal further drops to 10 dB at a temperature of 29°C and then increases again to 20dB when the temperature reduces to 26°C. This shows that temperature affects the effective propagation and dissemination of signal. This same result was recorded in other routes of signal measurement.

The higher the temperature, the less effective the signal strength will be. The signal strength becomes much higher at low temperatures. In other words, signal strength is inversely proportional to temperature as long as the transmission parameters such as the power of the transmitter, the height of transmitting antenna, transmitting antenna gain, and the distance of the receiver from the transmitter remain constant.

6. Summary and Conclusion

Summary

Apart from factors which include both natural and human such as distance, temperature, time of broadcast, the power of transmission, the angle of transmission, multipath interference, co-channel and adjacent channel interference etc., temperature can cause radio signals propagated to vary in some areas where they are transmitted. Temperature tends to have a negative effect on the strength of the signal generated by frequency modulated transmitted signals. Troposphere scatters causes part of these radio signals to be refracted towards the earth at some distance within the normal line of sight. The result of this study shows that increase in temperature leads to degradation of the signal strength generated by Orient 94.4 FM.

Conclusion

The result of this research shows that the rise in atmospheric temperature will lead to a drop in strength of the signal

generated by Orient 94.4 FM transmitter. Thus, it can be postulated that temperature varies inversely with the signal strength level as long as the transmission parameters remain constant.

$$\text{i.e., } T \propto \frac{1}{s}$$

$$\text{hence, } T = \frac{K}{s}$$

where, T = Temperature in °C and S = Signal Strength in dB.

7. Suggestion for Further Study

This research focuses only on the effect of temperature on signal strength generated by frequency modulated transmitter. Therefore, further research should aim at investigating the effect of other atmospheric parameters such as pressure, wind, humidity, and precipitation on FM transmitter, UHF or VHF signals.

8. Acknowledgement

Our sincere gratitude goes to Mr. Sebastine Ekweopuru and other members of Imo State Broadcasting Cooperation (Orient 94.4 FM) technical crew for their support throughout the period of this research and for making available to us adequate information about the transmitting station.

References

- [1] Ade F., Agboola A. O., Halidu D.I., Abdullahi A., Jegede J.O., Wysenyuy D.F., Ademu V. (2017). Investigation of the Influence of Atmospheric Temperature and Relative Humidity on Fm Radio Signal Strength: A Case Study of WeFm Abuja. *International Journal for Scientific Research & Technology research*. 2(11), 70-74.
- [2] Jari, L. & Ismo, H. (2015). Effects of Temperature and Humidity on Radio Signal strength in outdoor wireless sensor Networks. *Proceedings of the Federated conference on computer science and information system*. (5), 1247-1255.
- [3] Sebin S, Renimol S., Abhiram D., Premiet B. (2017). A Study on the Effect of Temperature on Cellular Signal Strength Quality. *Nextgen Electronic Technologies: Silicon to Software (ICNETS2), 2017 International Conference*.
- [4] Dev K. R. (2012). Factors Affecting Radio Wave Propagation. *Dev Kumar Rai's Blog*. www.idc-online.com
- [5] Amajama J. (2016). Impact of Weather Components on (UHF) Radio Signal. *International Journal of Engineering Research and General Science*. 4(3), 481-494.
- [6] Samuel P. M., Peter S. G., Andreas K. G., (2010). Atmospheric Effect on Radio Frequency (RF) Wave Propagation in a Humid, Near-Surface Environment. *Thesis and Dissertation Collection Naval Post Graduate School, Monterey, California*.
- [7] Michael O. A. (2013). Investigation of the Effect of

- Ground and Air Temperature on Very High Frequency Radio Signals. *Journal of Information Engineering and Applications*. 3(9), 16-21.
- [8] Patrick R., Brain H., David W. (2013). Why Your Signal Is Fuzzy: Effects of Wave Propagation On KGOU Reception. Retrieved on May 21, 2018 from [www.http://kgou.org/post/why-your-signal-fuzzy-effects-wave-propagation-kgou-reception](http://kgou.org/post/why-your-signal-fuzzy-effects-wave-propagation-kgou-reception)
 - [9] Fidelis C. O. (2015). Analysis of 30 Years Rainfall Variation in Imo State of Southeastern Nigeria. *Hydrological Sciences and Water Security: Past, Present and Future. Proceedings of the 11th Kovacs Colloquium, Paris, France, June 2014. IAHS Publ. 366*.
 - [10] Onyenechere E. O., Azuwike D. O., Enwereuzor A. I. (2011). Effect of Rainfall Variability on Water Supply in Ikeduru L.G.A. of Imo State, Nigeria. *International Multidisciplinary Journal, Ethiopia*. 5(22), 223-241.
 - [11] Montana O. P. (2014). The Effect of Weather on Television Reception. Retrieved on May 26, 2018 from www.thenakedscientists.com/forum/index.php?topic=1076.0
 - [12] Nweke F. U. and Ukwu C. N. (2015). Weather Variation and its Effect on Transmission of Communication Signal. *International Journal of Scientific & Engineering Research*. 6(6), 643-645