

Analyzing Coronary Artery Disease Behavior Based on Artificial Intelligence

Siva Karthick Chaganty

Senior Analyst

Abstract: *Ischemic heart disease or coronary artery disease has been one of the most famous conditions discussed and researched about throughout the human history. William Harvey (1578–1657) physician to King Charles I is credited with discovering that the blood moves from the right ventricle of the heart through the lung and into the aorta, then the peripheral vessels, and back into the lung. The heart is like any other muscle in body. It needs an adequate blood supply to provide oxygen so that the muscle can contract and pump blood to the rest of the body. Not only does the heart pump blood to the rest of the body, it also pumps blood to itself via the coronary arteries. These arteries originate from the base of the aorta. Moreover, techniques that depend on the principle of intelligent systems and artificial neural networks are proven to be very efficient in the field of research*

Keywords: Heart disease Predictions, Ensemble Model

1. Introduction

Genetic heritage, tobacco and alcohol intake, obesity, radiation exposure as well as having a poor and inactive lifestyle are some causes for abnormal food intake and thus providing higher risks of getting heart disease. For such reasons, Heart disease is considered as one of the most dangerous and unpredictable diseases nowadays. Much of research is done on the prevention of heart cardiovascular treatment. Innovative and modern technology is being implemented in the goal of providing proper diagnosis, prediction and in some cases treatments for heart disease. Artificial intelligence is one of the methods for approaching heart diseases and understanding its nature. One of the most popular types of Heart disease being approached by artificial intelligence.

An Artificial Neural Network (ANN) is an imitation to the basic human brain operation and it is an interconnected neurons system that is capable of computing values using mathematical functions. To adapt to the environmental changes, a learning system has to change itself. In addition, Multi-layers ANNs are complex neural networks providing a nonlinear relationship of input-to-output results. Multi-layer ANNs comprise of an input layer, a hidden layer and an output layer as illustrated in Fig. 1. Basically, the input layer provides an input value to the network and each of the input has a weighting factor, which identifies the effect of the network. As for the hidden and output info, they represent a function where the hidden layer is first computed, and then the results are used in computing the output layer.

The data presented in this paper is patients suffering from heart diseases. This database is obtained for xx patient, each patient is represented with different information as input data such as the type of heart conditions, patient details (sex, age, tobacco consumption, alcoholic) in addition to protein expression (p53, msh2, mlh1) and DNA mutations (bat25, bat26, mfd15, apc, d2s123). Furthermore, the output data will be represented with the actual behaviour of the blood pressure such as how long did and how many times the blood pressure conditions went back to appear. In addition

the time it took to advance to other stages, the time the type of cholesterol spread and lead to patient's death and whether or not the BP was the cause of death or there might be other causes of death (e.g. complications).

2. Methodology

The proposed ANN based prediction algorithm accurately predicts the patient's Heart diseases records output by employing the ensemble method shown in Table I. In this method, the patient's record is equally divided into 10 window groups. In this method, the average of 10 ANN network functions under different combinations of 10 window groups have been used in order to find out the predicted output, in addition to improving the prediction performance of a model with more accurate results. The proposed model is trained by using three different ANN networks which are cascade-forward back propagation network (NEWCF), feed-forward input time-delay back propagation network (NEWFFTD), and fitting network (NEWFIT), each network is trained by using ensemble methods under different combination of groups by applying two methods which are the averaging and voting methods. The averaging method is one of the major types of static committee machines. The network design for such method depends upon mean average of the networks. In addition, ensemble averaging depends on the mean average networks results. So in general, the whole idea of averaging method can be summarized by the following and generating N experts each having their initial values which are chosen from a random distribution. After that, each expert will be separately trained separately and finally, they are combined and their values are averaged. As for the voting method, it does not consider the level of significance by each network. This as a result, allows simple integration of all different sorts of network architectures. Majority voting is a simple voting method in which a group of unlabeled instance are performed depending on the class with the most frequent votes. This technique has been widely used to compare newly proposed methods.

Volume 7 Issue 9, September 2018

www.ijsr.net

Licensed Under Creative Commons Attribution CC BY

Table 1: Sliding Window Method

W1	W2	W3	W4	W5	W6	W7	W8	W9	W10
W2	W3	W4	W5	W6	W7	W8	W9	W10	W1
W3	W4	W5	W6	W7	W8	W9	W10	W1	W2
W4	W5	W6	W7	W8	W9	W10	W1	W2	W3
W5	W6	W7	W8	W9	W10	W1	W2	W3	W4
W6	W7	W8	W9	W10	W1	W2	W3	W4	W5
W7	W8	W9	W10	W1	W2	W3	W4	W5	W6
W8	W9	W10	W1	W2	W3	W4	W5	W6	W7
W9	W10	W1	W2	W3	W4	W5	W6	W7	W8
W10	W1	W2	W3	W4	W5	W6	W7	W8	W9

In the case of Artificial Neural Network model, the neuron behaves as an activation function $f(.)$ producing an output $y = f(\text{net})$, where net is the cumulative input stimuli to the neuron and f is typically a nonlinear function of net , where x_i indicates the inputs and w_i indicate the weighting parameters.

$$\text{net} = x_1w_1 + x_2w_2 + x_3w_3 = \sum_{i=1}^3 x_iw_i$$

Output performances of the proposed algorithms are analysed using various parameters such as Sensitivity, Specificity, Accuracy, Receiver Operator Curve (ROC), and Area under the Curve (AUC) and Mean Square Error (MSE) value. Regression model is a statistical model for estimating the relationships among variables. It includes many techniques for modelling and analyzing several variables and statistical models to compare it with the ANN model, output performances of them are analysed using various parameters like Sensitivity, Specificity, Accuracy, Roc, AUC and MSE value.

3. Findings

The proposed ANN models are trained using three different ANN networks, namely NEWCF, NEWFFTD and NEWFIT[7][8]. First of all, randomly dividing the networks into two groups called training records and testing records[9][10][11]. Training records group contains about 70% of the total records, which are used to train the ANN by using 80% for training and 20% for validation of the ANN networks. The trained ANN networks are used to predict the output parameter of testing records group which contain 30% of total records.

Moreover, three different methods have been used, average, voting, and regression model[12][13][14]. Table II shows the input variables used in the modelling analyses. Tables III and IV show the performance of three methods for various ANN training networks in which it follows the principle of 70% training and 30% testing, while Tables V and VI show the predicted patients records for three methods and three different ANN trained networks using ensemble method. Sensitivity relates to the test's ability to identify positive results which measures the proportion of actual positives which are correctly identified as such. While specificity relates to the test's ability to identify negative results, which measures the proportion of negatives which are correctly identified. The accuracy is the proportion of true results (both true positive and true negative) in the population.

$$\text{Sensitivity} = \text{TP} / (\text{TP} + \text{FN})$$

$$\text{Specificity} = \text{TN} / (\text{TN} + \text{FP})$$

$$\text{Accuracy} = (\text{TP} + \text{TN}) / (\text{TP} + \text{FP} + \text{TN} + \text{FN})$$

Table 2: Input Variables Used in the Modeling Analysis.

Input Variables

- 1) Age
- 2) Sex
- 3) Chest pain type (4 values)
- 4) Resting blood pressure
- 5) Serum cholesterol in mg/dl
- 6) Fasting blood sugar > 120 mg/dl
- 7) Resting electrocardiographic results (values 0,1,2)
- 8) Maximum heart rate achieved
- 9) Exercise induced angina
- 10) Old peak = ST depression induced by exercise relative to rest
- 11) The slope of the peak exercise ST segment
- 12) Number of major vessels (0-3) colored by flourosopy
- 13) Thal: 3 = normal; 6 = fixed defect; 7= reversible defect

Table 3: Performance of ANN Networks Train Records Results Analysis

Methods	Sensitivity	Specificity	Accuracy
Average	78.1818	86.25	82.963
Voting	74.5455	88.75	82.963
Regression Model	63.6364	73.75	69.63

Table 4: Performance of ANN Networks Train Records Results Analysis MSE and AUC Values

Methods	MSE Value	AUC
Average	0.1378	0.9009
Voting	0.133	0.9048
Regression Model	0.1995	0.7398

Table 5: Performance of ANN Networks Test Records Results Analysis

Methods	Sensitivity	Specificity	Accuracy
Average	65.2174	74.2857	70.6897
Voting	60.8696	77.1429	70.6897
Regression Model	52.609	50	51.034

Table 6: Performance of ANN Networks Test Records Results Analysis MSE and AUC Values

Methods	MSE Value	AUC
Average	0.1908	0.728
Voting	0.1956	0.7193
Regression Model	0.1335	0.5745

Fig 2-5 show the ROC plot of heart disease records of average method and regression model for NEWCF, NEWFFTD and NEWCF networks, while Figs. 6-9 show the ROC plot of heart disease test records of average method and regression model.




Fig.3. Average method train case.




Fig.6. Average method test case.




Fig.4 Regression model train case.




Fig.7 Average method test case.




Fig.5 Regression model train case.




Fig.8 Regression model test case.




Fig.9 Regression model test case.

4. Conclusions

The proposed ensemble model, the artificial neural network algorithm using two methods averaging, voting and for various artificial neural network functions such as feed-forward input time-delay back-propagation network, cascade-forward back propagation network and radial basis network, successfully and accurately predicted patient's records. Output performances of records are analyzed using various parameters such as Sensitivity, Specificity, Accuracy, ROC, AUC and MSE value and the results show that artificial neural network methods obtain better predictive performance than could be obtained from regression models and that was all based on the different validations of the artificial neural networks.

References

- [1] Z. Chi, Z. Lu and F. Chan, "Multi-channel handwritten digit recognition using neural networks", Circuit and Systems ISCAS'97 proceeding of 1997 IEEE International Symposium, Vol.1, 1997, pp. 625-628.
- [2] K. Tadashi; U. Junji; T. Shoichiro, "Hybrid GMDH-type neural network using artificial intelligence and its application to medical image diagnosis of liver cancer", System Integration (SII), 2011 IEEE/SICE International Symposium on 2011, pp. 1101-1106.
- [3] P.J.G. Lisboa, T.A. Etchells, I.H. Jarman and M.S.H. Aung, "Time-to-event analysis with artificial neural networks: An integrated analytical and rule-based study for breast cancer", Neural Networks, 2007. IJCNN 2007. International Joint Conference on 2007, pp: 2533-2538