International Journal of Science and Research (IJSR)

ISSN: 2319-7064

ResearchGate Impact Factor (2018): 0.28 | SJIF (2018): 7.426

A Comparative Study on Satisfaction Level towards Psychiatric Hospital Services among Caretakers Who is Accompanying the Patient in Various Departments of the in Institute of Mental Health and Hospital Agra 2014

Renu Kumari¹

¹Master of Science in Nursing (Mental Health (Psychiatric) Nursing) (2012-2014); Ved Nursing College Prem Institute of Medical Sciences, Baroli, Panipat, India

Abstract: A comparative study on satisfaction level towards psychiatric hospital services among caretakers who is accompanying the patient in various departments of the institute of mental health and hospital Agra 2014. The objectives of study are to assess the Level of satisfaction among caretakers in selected Hospital and to find the association between the Levels of satisfaction with their selected sociodemographic variables. Modified donabadian model used as conceptual frame work. The conceptual framework provides a comprehensive, systematic and continuous ongoing framework for programme evaluation. The research approach adopted for the study was descriptive research design. The convenience sampling was used to select the sample. The sample comprised of 120 caretakers. The tool used for data collection was. Self structured caretaker's satisfaction scale. Reliability of tool was 0.82. The data was collected in January, 2014. The data obtained were analysed using both descriptive and inferential statistics. The finding revealed that more outpatient caretakers are 25 (42%) very satisfied as compared to in patient caretakers 19 (22%) where as more inpatient caretakers 33 (55%) are satisfied as compared to outpatient caretakers 28 (47%). There is no significant relationship between selected sociodemographic variable and level of satisfaction score Inpatient and outpatient caretaker expect the area of residency in Inpatient caretaker.

Keywords: Psychiatric Hospital Services, Mental Health

1.Introduction

Patient satisfaction is a major indicator of quality care. Thus quality of work can be assessed by mapping out patient satisfaction with nursing care. ¹Caring for a family member with mental illness can be burdensome. Caregivers may experience financial burdens, difficulty handing disruptive behaviour and fluctuating emotions that cannot be controlled, a lack of time for personal enjoyment and social engagement, difficulty handling the lack of motivation found in the mentally ill family member, and difficulties Although it is commonly acknowledged that care giving burdens can lead to caregivers with a relative suffering from mental illness experiencing poor quality of life, few studies have explored this relationship empirically. The few studies that have done so found that family burdens were inversely related to QOL (quality of life) of caregivers with children suffering from mental health problems, Mood disorders and schizophrenia.²

The assessment of patient satisfaction with medical services has been a rapidly developing area of research for almost 20 years. However, the assessment of patient's satisfaction with psychiatric clinics has only recently started to come into focus. Several specific measures have been developed for evaluating patient's satisfaction in a variety of psychiatric settings, including inpatient and outpatient clinics.³

2.Material And Methods

Research Approach: In view of the nature of the problem and to accomplish objectives of the present study a non experimental research approach was considered to be the most appropriate.

Research Design: To accomplish the objectives of the present study, comparative research design was used the above design was considered best for analyses and interpretation.

Research Setting: The research setting selected for the present study was Institute of Mental Health and Hospital Agra (U.P).

Population: The population of the present study,

- **❖ Target population:** caretakers of inpatient, and outpatient.
- ❖ Accessible population: caretaker's of inpatient and outpatient attending Institute of Mental Health and Hospital Agra 2014.

Sample Size & Sampling Technique: Sample size of present study comprises 120 caretakers from Institute of Mental Health and Hospital Agra 2014.

Convenient sampling technique was used in the study to select the sample.

Volume 8 Issue 9, September 2019 www.ijsr.net

Licensed Under Creative Commons Attribution CC BY

ResearchGate Impact Factor (2018): 0.28 | SJIF (2018): 7.426

Inclusion Criteria-

- Caretaker who are coming or staying with patient in the hospital
- Patient Caretaker who are cooperative and willing to participate in the study.
- Patient caretaker who can understand and read Hindi or English.

Exclusion Criteria-

- ❖Caretakers who are not family members.
- ❖ Caretakers age less than 20 and more than 60.

Variables: In the present study, there are two variables:

- Research Variable: Level of satisfaction of caretakers.
- Socio-Demographic variable: age, gender, marital status, Educational status Occupational status, religion, area of residency, Family economic status.

3.Result

The data was collected through Self Structured caretaker's satisfaction scale in master data sheet. Data was analyzed by using descriptive statistics and inferential statistics.

Objectives:

- To assess the level of satisfaction with psychiatric hospital services among inpatient and outpatient caretakers of psychiatric patients.
- To compare the level of satisfaction with psychiatric hospital services among inpatient and outpatient caretakers of psychiatric patients.
- To determine the association between the level of satisfaction with psychiatric hospital services among Inpatient and Outpatient caretakers with their selected socio demographic variable.

The data was organized according to the objectives and presented under the following Section:

Section 1: Socio-demographic variable Section 2: Analysis related to objectives.

Section 1: Soci-demographic variables

Table 1: Frequency and percentage distribution of teachers according to socio demographic variables N=120(60 Inpatient and 60 outpatient)

| Sample | e characteristic | | | | |
|-----------------------|-------------------------|----|----|--|----|
| | 20yrs-30yrs | 7 | 12 | 7 | 12 |
| A | 31yrs-40yrs | 16 | 27 | OUT Patients (f) 7 16 21 16 23 37 9 49 0 2 8 9 16 27 0 6 25 29 11 16 33 16 44 2 37 21 7 28 25 | 27 |
| Age | 41yrs-50yrs | 21 | 35 | 21 | 35 |
| | 51yrs-60yrs | 16 | 27 | 16 | 27 |
| Gender | Male | 30 | 50 | 23 | 38 |
| Gender | Female | 30 | 50 | 7 16 21 16 23 37 9 49 0 2 8 9 16 27 0 6 25 29 11 16 33 16 44 2 37 21 7 28 | 62 |
| | Single | 4 | 7 | 9 | 15 |
| M:4-1 C4-4 | Married | 56 | 93 | 49 | 82 |
| Marital Status | Divorced/Separated | 0 | 0 | 0 | 0 |
| | Windowed | 0 | 0 | 2 | 3 |
| | Literate | 23 | 38 | 8 | 13 |
| | Primary school | 23 | 38 | 9 | 15 |
| Educational Status:- | Secondary school | 14 | 23 | 16 | 27 |
| | Higher Secondary School | 0 | 0 | 7 16 21 16 23 37 9 49 0 2 8 9 16 27 0 6 25 29 11 16 33 16 44 2 37 21 7 28 | 45 |
| | Other(please specific) | 0 | 0 | 0 | 0 |
| | Employed | 11 | 18 | 6 | 10 |
| Occupational Status:- | Self-employed | 30 | 50 | 25 | 42 |
| | Unemployed | 19 | 32 | 29 | 48 |
| | Hindu | 29 | 48 | 11 | 18 |
| Religion | Muslim | 10 | 17 | 16 | 27 |
| | Other | 21 | 35 | 33 | 55 |
| A : - 1 | Urban | 38 | 63 | 16 | 27 |
| Area of residency | Rural | 22 | 37 | 44 | 73 |
| | Low Economic status | 8 | 13 | 2 | 3 |
| Family Status | Middle Economic status | 46 | 77 | 21 16 23 37 9 49 0 2 8 9 16 27 0 6 25 29 11 16 33 16 44 2 37 21 7 | 62 |
| | High Economic status | 6 | 10 | 21 | 35 |
| | Neutral | 8 | 13 | 7 | 12 |
| Satisfaction Scores | Satisfied | 33 | 55 | 21 16 23 37 9 49 0 2 8 9 16 27 0 6 25 29 11 16 33 16 44 2 37 21 7 | 47 |
| | Very satisfied | 19 | 32 | 25 | 42 |

Table 1 show the frequency and percentage distribution of inpatient and outpatient caretaker according to the selected socio-demographic variables.

The above **table 1** depicts that the majority and minority of the inpatient caretaker according to age is 41 yrs-50yrs 21(35%) and 20yrs -30yrs 7(12%), according to marital status is married 56(93%) and single 4(7%), according to

Volume 8 Issue 9, September 2019

www.ijsr.net

Licensed Under Creative Commons Attribution CC BY

ResearchGate Impact Factor (2018): 0.28 | SJIF (2018): 7.426

education status is both literate and primary school 23(38%) and secondary school 14(23%), according to occupational 29(48%) and Muslim 10(17%), according to area of residency is urban 38(63%) and rural 22(37%), according to family economic status is middle economic-status is 46(77%) and high economic status 6(10%) respectively.

According to gender equal number of male and female were there 30(50%), and, **Table 1** shows that the majority and minority of the outpatient caretaker according to age is 41yrs-50yrs 21(35%) and 20yrs-30yrs 7(12%), according to Gender is female 37(62%) and male 23(38%), according to marital status is married 49(82%) and widowed 2(3%),

according to educational status is higher secondary 27(45%) and literate 8(13%), according to occupational status is unemployed 29(48%) employed 6(10%), according to religion is others 33(55%) and Hindu 11(18%), According to area of residency is rural 44(73%) and urban16(27%), according to family economic status is middle economic-status is 37(62%) and low economic status 2(3%) respectively.

Section II: Analysis related to objectives

1. Objective1:- To assess the level of satisfaction with psychiatric hospital services among inpatient and outpatient caretakers of psychiatric patients.

 Table 2: Level of satisfaction of inpatient caretaker satisfaction score

| N=60 | | |
|------------------------------|-----------|----------------|
| Satisfaction Scores | Frequency | Percentage (%) |
| Very satisfied (vs.) 101-125 | 19 | 42 |
| Satisfied(s) 76-100 | 33 | 47 |
| Neutral (N) 51-75 | 8 | 12 |
| Dissatisfied (DS) 26-50 | 0 | 0 |
| Very Dissatisfied ≤25 | 0 | 0 |

Table 2 show that level of satisfaction according to the satisfaction score majority of the in-patient caretakers were satisfied 33(47%), followed by very satisfied 19(42%) and minority were.

Table 3: Level of satisfaction of outpatient caretaker

| N=60 | | |
|------------------------------|-----------|----------------|
| Satisfaction Scores | Frequency | Percentage (%) |
| Very satisfied (vs.) 101-125 | 25 | 32 |
| Satisfied(s) 76-100 | 28 | 55 |
| Neutral (N) 51-75 | 7 | 13 |
| Dissatisfied (DS) 26-50 | 0 | 0 |
| Very Dissatisfied ≤25 | 0 | 0 |

Table 3 shows that level of satisfaction of out –patient caretakers according to the satisfaction score. Majority of the out-patient caretakers were satisfied 28(55%), followed by very satisfied 25(32%) and minority were neutral group 7(13%).

No one is there with a score of dissatisfied and very dissatisfied.

Objective:-3 to compare the level of satisfaction with psychiatric hospital services among inpatient and outpatient caretakers of psychiatric patients.

Table 4: Descriptive statistics

| Tuble 4. Doseil | Comparison | | | | |
|----------------------------------|--------------------------|---------------------------|--|--|--|
| Unpaired T Test | Satisfaction Scores (IN) | Satisfaction Scores (OUT) | | | |
| Mean Score | 95.30 | 94.45 | | | |
| Mediam Score | 97.5 | 99.5 | | | |
| S.D. | 12.645 | 12.554 | | | |
| Range of Possible Score | 100 | 100 | | | |
| Range of Obtained Score | 55 | 52 | | | |
| Number | 60 | 60 | | | |
| Max Possible | 125 | 125 | | | |
| Minimum Obtained | 123 | 121 | | | |
| Minimum Possible | 25 | 25 | | | |
| Minimum Obtained | 68 | 69 | | | |
| Mean Percentage | 76.24 | 75.56 | | | |
| Minimum Possible Gain percentage | 23.76 | 24.44 | | | |
| Unpaired T Test | 0.30 | 0.369 | | | |
| P value | 0.7124 | | | | |
| Table Value at 0.05 | 1.9 | 8 | | | |
| Result | Non Significant | | | | |

Volume 8 Issue 9, September 2019 www.ijsr.net

Licensed Under Creative Commons Attribution CC BY

ResearchGate Impact Factor (2018): 0.28 | SJIF (2018): 7.426

Table 4 depicts that the inpatient and outpatient caretakers, according mean score is 95.30 and 94.45 respectively, median score is 97.5 and 99.5 respectively, S.D is 12.645 and 12.554 respectively, range of possible score is 100 and 100 respectively, range of obtained score 55 and 52 respectively, number is 60 and 60 respectively maximum possible score is 125 and 125 respectively, maximum obtained score 123 and 121 respectively,

minimum possible score is 25 and 25 respectively, minimum obtained score is 68 and 69 respectively, mean percentage is 76.24 and 75.56 respectively, maximum possible gain percentage is 23.76 and 24.44 respectively.

Hence the calculated value 0.369 is less than the table value 1.98. The result is Non significant.

Table 4: Test of significance

| | Comparison | | | |
|---------------------|--|---------------------|--|--|
| Unpaired T Test | Satisfaction Scores | Satisfaction Scores | | |
| | Satisfaction Scores (IN) Satisfaction S (OUT) 43.58 43.63 9.024 9.808 60 60 59 60 26 21 0.050 0.029 0.9769 | (OUT) | | |
| Mean | 43.58 | 43.63 | | |
| S.D. | 9.024 | 9.808 | | |
| Number | 60 | 60 | | |
| Maximum | 59 | 60 | | |
| Minimum | 26 | 21 | | |
| Mean Difference | 0.0 | 050 | | |
| Unpaired T Test | 0.0 | 029 | | |
| P value | 0.9769 | | | |
| Table Value at 0.05 | 1.98 | | | |
| Result | Non Sig | gnificant | | |

Table 5 Depicts that the inpatient and outpatient caretakers, mean is 43.58 and 43.63 respectively, S.D. is 9.024 and 9.808 respectively, number is 60 and 60 respectively, maximum is 59 and 60 respectively,

minimum is 26 and 21 respectively. Mean difference is 0.050. Hence calculated value 0.024 is less then table value 1.98. The result is Non Significant

Table 6

| Frequency N=60 | | | | | | | | | | |
|---|----|----|----|----|--|--|--|--|--|--|
| Satisfaction Scores IN Patients IN Patients OUT Patients OUT Patients | | | | | | | | | | |
| Very satisfied (vs.) 101-125 | 19 | 32 | 25 | 42 | | | | | | |
| Satisfied(s) 76-100 | 33 | 55 | 28 | 47 | | | | | | |
| Neutral (N) 51-75 | 8 | 13 | 7 | 12 | | | | | | |
| Dissatisfied (DS) 26-50 | 0 | 0 | 0 | 0 | | | | | | |
| Very Dissatisfied ≤25 | 0 | 0 | 0 | 0 | | | | | | |


Table 6 depicts the comparison of level satisfied between inpatient and outpatient caretaker.

According to satisfaction score more outpatient caretakers 25(42%) are very satisfied as compared to inpatients 19(32%).

According to satisfaction score more inpatient caretakers 33(55%) are very satisfied as compared to outpatients 28(47%).

According to satisfaction score more outpatient caretakers 8(13%) are Neutral as compared to outpatients 7(12%).

It is interesting to reveal that no one finding the dissatisfied and very dissatisfied group according to satisfaction score.



Volume 8 Issue 9, September 2019 www.ijsr.net

Licensed Under Creative Commons Attribution CC BY

ResearchGate Impact Factor (2018): 0.28 | SJIF (2018): 7.426

Objective 4:-To determine the association between the level of satisfaction with psychiatric hospital services

among inpatient and outpatient caretakers with their selected socio demographic variable.

Table 7(a): Association between the level of satisfaction with psychiatric hospital services among Inpatient and Outpatient caretakers with their selected socio.

| Demographic Data | | Lev | vels(n=0 | 50) | Lev | els(n= | :100) | | Associa | tion I | N Patients | |
|------------------|----------------------------|---------|-----------|----------------|---------|-----------|----------------|----------|---------------|------------|--------------------|--------------------|
| | | Neutral | Satisfied | Very satisfied | Neutral | Satisfied | Very satisfied | Chi Test | P Value | df | Table Value | Result |
| | 20yrs-30yrs | 1 | 4 | 2 | 2 | 7 | 3 | | | | | |
| Age | 31yrs-40yrs | 4 | 8 | 4 | 7 | 13 | 7 | 3.258 | 0.776 | 6 12.592 | 12.592 | Not |
| Age | 41yrs-50yrs | 2 | 11 | 8 | 3 | 18 | 13 | 3.236 | 0.770 | U | 12.392 | Significant |
| | 51yrs-60yrs | 1 | 10 | 5 | 2 | 17 | 8 | | | | | |
| Gender | Male | 5 | 16 | 9 | 8 | 27 | 15 | 0.583 | 0.747 | 2 | 5.991 | Not |
| Gender | Female | 3 | 17 | 10 | 5 | 28 | 17 | 0.363 | 0.747 | 2 | 3.771 | Significant |
| | Single | 0 | 2 | 2 | 0 | 3 | 3 | | | | 5.991 | Not Significant |
| Marital | Married | 8 | 31 | 17 | 13 | 52 | 28 | 1.046 | 0.593 | 2 | | |
| Status | Divorced/Separated | 0 | 0 | 0 | 0 | 0 | 0 | 1.040 | | | | |
| | Windowed | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| | Literate | 4 | 11 | 8 | 7 | 18 | 13 | 1.428 | 0.839 | 4 | 9.488 | Not Significant |
| | Primary school | 3 | 14 | 6 | 5 | 23 | 10 | | | | | |
| Education | Secondary school | 1 | 8 | 5 | 2 | 13 | 8 | | | | | |
| al Status:- | Higher Secondary School | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| | Other(please specific) | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| Occupatio | Employed | 0 | 8 | 3 | 0 | 13 | 5 | | | | 9.488 | Not Significant |
| nal | Self-employed | 5 | 18 | 7 | 8 | 30 | 12 | 5.911 | 0.206 | 4 | | |
| Status:- | Unemployed | 3 | 7 | 9 | 5 | 12 | 15 | | | | | |
| | Hindu | 4 | 17 | 8 | 7 | 28 | 13 | | 5.721 0.221 4 | | | |
| Religion | Muslim | 1 | 8 | 1 | 2 | 13 | 2 | 5.721 | | 4 9.488 | Not Significant | |
| | Other | 3 | 8 | 10 | 5 | 13 | 17 | | | | | Significant |
| Area of | Urban | 3 | 19 | 16 | 5 | 32 | 27 | 6.336 | 0.042 | 2 | £ 001 | Significant |
| residency | Rural | 5 | 14 | 3 | 8 | 23 | 5 | | 0.042 | | 5.991 | |
| | Low Economic status | 1 | 2 | 5 | 2 | 3 | 8 | | 58 0.253 4 | 53 4 9.488 | | Not Significant |
| Family Status | Middle Economic status | 7 | 27 | 12 | 12 | 45 | 20 | 5.358 | | | 9.488 | |
| Status | High Economic status | 0 | 4 | 2 | 0 | 7 | 3 | | | | | |

Table 7 (a) depicts the calculated value and table value, according to age 3.258 and 12.592, according to gender 0.583 and 5.991 according to marital status 1.046 and 5.991, according to educational status 1.428 and 9.488 according to occupational status 8.992 and 12.592, according to religion 5.721 and 9.486, according to family economic status 5.358 and 9.488 respectively. In the above mentioned variables, the calculated value is less

then the table value shows there is no significant relationship at (P < 0.05).

Whereas: According to Area of Residency the calculated value 6.336 is greater than the table value 5.991, which reveals the there is significant relationship between the area of residency and level of satisfaction score is in patient caretaker.

Volume 8 Issue 9, September 2019 www.ijsr.net

Licensed Under Creative Commons Attribution CC BY

ResearchGate Impact Factor (2018): 0.28 | SJIF (2018): 7.426

Table 7 (b): Association between the levels of satisfaction score with their selected socio demographic variable. Among outpatient caretakers

| Outpatient caretakers Levels(n=60) Association OUT Patients | | | | | | | | | |
|--|-------------------------|------------|--------------------------|----------------|----------|---------|----|----------------|-----------------|
| | I | Leveis(n=6 | Association OUT Patients | | | | | | |
| Demographic Data | | Neutral | Satisfied | Very satisfied | Chi Test | P Value | df | Table Value | Result |
| | 20yrs-30yrs | 0 | 4 | 3 | | | | | |
| A === | 31yrs-40yrs | 1 | 9 | 6 | 3.141 | 0.701 | 6 | 12.592 | Not Significant |
| Age | 41yrs-50yrs | 4 | 8 | 9 | 3.141 | 0.791 | 0 | | |
| | 51yrs-60yrs | 2 | 7 | 7 | | | | | |
| | Male | 3 | 10 | 5 | | | | | |
| Gender | Female | 2 | 13 | 16 | 5.931 | 0.655 | 8 | 15.507 | Not Significant |
| Gender | 3 4 | 1 0 | 2 0 | 2 | 3.731 | 0.655 | | 13.307 | |
| | 5 | 1 | 3 | 1 | | | | | |
| | Single | 2 | 4 | 3 | | | 4 | 9.488 | Not Significant |
| Marital | Married | 5 | 24 | 20 | 3.971 | 0.410 | | | |
| Status | Divorced/Separated | 0 | 0 | 0 | | | | | |
| | Windowed | 0 | 0 | 2 | | | | | |
| | Literate | 1 | 4 | 3 | 2.144 | 0.906 | 6 | 12.592 | Not Significant |
| | Primary school | 2 | 3 | 4 | | | | | |
| Educational Status:- | Secondary school | 1 | 9 | 6 | | | | | |
| Status. | Higher Secondary School | 3 | 12 | 12 | | | | | |
| | Other(please specific) | 0 | 0 | 0 | | | | | |
| | Employed | 1 | 0 | 1 | | 0.325 | | | Not Significant |
| Occupational | Self-employed | 0 | 0 | 0 | 4.651 | | 4 | 9.488 | |
| Status:- | Unemployed | 4 | 13 | 8 | | | | | |
| | 4 Hindu | 1 | 15 5 | 16 5 | | | | | |
| | Muslim | 3 | 8 | 5 | | | | | |
| Religion | Other | 3 | 15 | 15 | 2.812 | 0.832 | 6 | 12.592 | Not Significant |
| | 4 | 0 | 2 | 2 | | | | | |
| | Urban | 1 | 6 | 1 | | | | | |
| Area of | Rural | 1 | 9 | 9 | 10.542 | 0.229 | 8 | 15.507 | Not Significant |
| residency | 3 4 | 3 1 | 5 0 | 11 1 | 10.542 | 0.229 | 8 | 15.50/ | Not Significant |
| | 5 | 1 | 1 | 3 | | | | | |
| E '1 | Low Economic status | 0 | 1 | 1 |] | | 4 | | |
| Family Status | Middle Economic status | 5 | 20 | 12 | 3.660 | 0.454 | | 9.488 | Not Significant |
| Status | High Economic status | 2 | 7 | 12 | | | | | |

Table 7 (b) shows that the calculated value and table value, according to age 3.141 and 12.592, according to gender 5.931 and 15.507, according to marital status 3.931 and 9.488, according to educational status 2.149 and 12.592, according to occupational status 4.651 and 9.488, according to religion 2.812 and 12.592, According to Area of residency 10.542 and 15.507, according to family economic status 3.660 and 9.488 respectively. Thus all the above mentional variables, calculated value is less then table value, so there is no significant relationship between the selected socio demographic variable and satisfaction score of outpatient . (P<0.05)

4. Major Findings of the Study

Majority of the inpatient and outpatient care taker:

- According to were 41 yr -50 years and 21(35%) respectively.
- According to gender equal male and females 30 (50%) and females 37 (62%) respectively.
- According to martial status were married 49 (82%) and 56 (93%) respectively.
- According to educational status were both literate & primary school 23 (38%) & secondary school 16(23%) respectively.

Volume 8 Issue 9, September 2019 www.ijsr.net

Licensed Under Creative Commons Attribution CC BY

ResearchGate Impact Factor (2018): 0.28 | SJIF (2018): 7.426

- According to occupational status were self employed 30(50%) & unemployed 29(49%) respectively.
- According to religion was Hindu 29(48%) other 33(55%) respectively.
- According to area of residency urban 38 (63%) & rural 44(73%) respectively.
- According to family economic status was middle economic status 46(77%) & middle economic status 37 (62%) respectively.
- According to satisfaction score more outpatient caretakers 25(42%) are very satisfied as compared to inpatients 19(22%) respectively.
- According to satisfaction score more inpatient caretakers 33(55%) are satisfied as compared to outpatients 28(47%) respectively.
- According to satisfaction score more inpatient caretakers 8(13%) are Neutral as

Compared to outpatients 7(12%) respectively.

It is interesting to reveal that no one finding the dissatisfied and very dissatisfied group according to satisfaction score respectively.

 There is no significant relationship between selected socio-demographic variable and level of satisfaction score inpatient and outpatient caretaker expect the area of residency in inpatient caretaker.

5.Discussion

The findings of the study were discussed in terms of objectives of the study and assumptions. The data was collected from 120 caretakers in selected hospital Agra (U.P.). The findings of the present study compared with other studies.

In the present study According to satisfaction score more outpatient caretakers 25(42%) are very satisfied as compared to inpatients 19(22%). According to satisfaction score more inpatient caretakers 33(55%) are satisfied as compared to outpatients 28(47%). According to satisfaction score more inpatient caretakers 8(13%) are Neutral as compared to outpatients 7(12%). It is interesting to reveal that no one finding the dissatisfied and very dissatisfied group according to satisfaction score and the result is significant with area of residency of caretakers. The findings of the present study were supported by study of Daniel Fu Keung Wong who conducted a study to assess the quality of life of our caregivers which was measured by The World Health Organization Quality of Life Scale - BRIEF Version, which has been used to measure the quality of life of other Chinese populations in Taiwan and mainland China. With the availability of data in the other studies, one sample tests were performed to examine the differences in QOL scores between Chinese caregivers in the three places. The results indicate that that the caregivers in our sample had significantly poorer QOL than the general public in Hong Kong, mainland China, and Taiwan, and that their QOL was significantly.

The findings of the present study were supported by study of Muhammad A Z, Jude U, Adel A Using the responses of 130 Kuwaitis in stable condition with schizophrenia, we assessed the pattern of satisfaction with the national psychiatric service, in comparison with the international data, and examined the factors associated with satisfaction in the seven domains of the VSSS. Although the participants generally expressed satisfaction with the service, their responses indicated that the system was rather weak in the areas of information provided to users and the range of available interventions. However, the system was judged to have strengths in the behaviour of professionals, the effectiveness of treatment and in the way that family caregivers were assisted.

6.Conclusion

The finding of the study revealed that according to satisfaction score more outpatient caretakers 25(42%) are very satisfied as compared to inpatients 19(32%), more inpatient caretakers 33(55%) are satisfied as compared to outpatients 28(47%), more inpatient caretakers 8(13%) are Neutral as compared to outpatients 7(12%). It is interesting to reveal that no one finding the dissatisfied and very dissatisfied group according to satisfaction score and the result is significant with area of residency of caretakers.

References

- [1] Fu K W D, Yuk K LA find out Quality of life of caregivers with relatives suffering from mental illness in Hong Kong. 2012:1-3.
- [2] Eija S, TeijaH, Anna KM, Raimo KR, Salokangas KR. Satisfaction of Caregivers of Patients with Schizophrenia in Finland. 2002:2.
- [3] Rammohan A, Rao K, Subbakrishna DK. Religious coping and psychological wellbeing in carers of relatives with schizophrenia. Acta Psychiatr Scand. 2002; 105:356-362.

Volume 8 Issue 9, September 2019 www.ijsr.net

<u>Licensed Under Creative Commons Attribution CC BY</u>

Paper ID: 31081902 10.21275/31081902 220