

# Log-based feedback Method for Online Web Image Ranking Using Query Specific Semantic Signatures

Shweta G.Lilhare

Professor, Lecturer at Bhivravbai Sawant Polytechnic, Wagholi, Pune, India

**Abstract:** Image re-ranking, is an effective way to improve the results of web-based image search and has been adopted by current commercial search engines. Various methods like relevance feedback, context based image retrieval, query specific semantic signature has been proposed for giving better performance in web image re-ranking. However each of these methods has their own advantages and disadvantages. To overcome lacuna of the existing system we are proposing we propose log based image re-ranking. This paper provides the technical achievements in research area of the web image re-ranking and proposed log based relevance feedback method for online web image Re-ranking.

**Keywords:** Image Re-ranking, Feature extraction set, Reference class, log base data

## 1. Introduction

A web image retrieval system consists of image searching, browsing and retrieving from a huge database. Most of the existing web image search engine index image based on the associated textual information, such as the circumambient text, anchor text, URL, etc.

The relevance feedback techniques were assimilated into content-based image retrieval algorithms during the early and mid-1990s. Since then, this topic has attracted tremendous attention in the CBIR community – a collection of solutions has been proposed within a short period, and it remains an active research topic today.

The reasons are that more obscurity arise when interpreting images than words, which makes user interaction more of a necessity; and in addition, decision a document takes time, while an image reveals its content almost instantly to a human observer, which makes the feedback process faster and more conversant for the end user[2]. Many commercial Internet scale image search engines use only keywords as queries. User's type query.

Keywords in the hope of finding a certain type of images. The search engine returns thousands of images ranked by the keywords extracted from the surrounding text. It is well known that text-based image search suffers from the ambiguity of query keywords. The keywords provided by users tend to be short. They cannot describe the content of images accurately. The search results are noisy and consist of images with quite different semantic meanings[1].

To reduce semantic gap between high level and low level feature in database with high accuracy.

- 1) Improve time efficiency
- 2) Rate of accuracy



**Figure 1:** Top-ranked images returned from Bing image search using “hp” as query

Figure 1 shows the top ranked images from Bing image search using “hp” as query. They belong to different categories, such as “hp phone,” “hp mobile,” “hp printer,” and “hp logo” because of the ambiguity of the word “hp.”

The ambiguity issue occurs for several reasons. First, the query keywords’ meanings may be richer than users’ expectations. For example, the meanings of the word “apple” include apple fruit, apple computer, and apple iPod. Second, the user may not have enough knowledge on the textual description of target.

Images. Lastly and most importantly, in many cases it is hard for users to describe the visual content of target images using keywords accurately. In order to solve the ambiguity, additional information has to be used to capture users’ search intention. The proposed novel Internet image search approach requires the user to give only one click on a query image and images from a pool retrieved by text based search are re-ranked based on their visual and textual similarities to the query image.

Second major challenge is that the similarities of low-level visual features may not well correlate with images „high-level semantic meanings which interpret users’ search intention.

According to this semantic gap, for offline image recognition and retrieval, there have been a number of studies to map visual features to a set of predefined concepts or attributes as semantic signature.

In contributions of this paper are summarized as follows. First, in this paper, we have provided brief survey of web image re-ranking. Second, we have discussed how relevance feedback in content based.

Algorithms	Functions
Ad boost learning [2]	This algorithm Ad boost works well with small training sets. Due to the fact that It is quite suitable for relevance feedback
Soft Label support vector machines [10]	The framework first compute the relevance functions on the log data of user feedback and then combines the relevance information with regular
PCA clustering [2]	The experiment it could be seen that more accurate classification result can be obtained by PCA clustering algorithm.
SSAIRA [2]	This method employs semi-supervised learning and active learning simultaneously, the improvement of the retrieval

-image retrieval is used and its current state of the art. Finally, future directions in relevance feedback in web image re-ranking are also suggested.

## 2. Related Work

All the existing search engines retrieve image from the huge database on text-based image search approach to know the challenges in the stealing methods is to specifically get additionally specifics in sections.

In Support vector machines (SVM) [10] relevance feedback was universally used to learn visual similarity metrics to capture user intention Relevance feedback schemes based SVM. They have been regularly used in content-based image retrieval (CBIR) for improve the relevance feedback performance. Systematize AB-SVM and RS-SVM, an asymmetric bagging and random subspace SVM (ABRS-SVM) is assembled to determine over pass possible because the number of feature dimensions is much higher than the size of the training [10]

Now a day, for general image recognition and matching, there have been a number of works on using pre-ordained concepts or attributes as image signature. Some accession transferred knowledge between object classes by measuring the similarities between novel object classes and known object classes (called reference classes [4]). Handling intra-personal variation is a major challenge in face recognition. It is difficult how to exactly mapping the similarity between human faces under significantly different settings for that propose a new model, called "Associate-Predict" (AP) model, to address this concern. The Associate-predict model is build-up on an extra generic uniqueness data group set.in which each accommodate multiple images with large intra-personal innovation All these key component of image re-ranking.

The key component of image re-ranking is to compute the visual similarities between images. Many image features have been developed in recent year's .However, for different query images, low-level visual features that are effective for one image category may not work well for another

concepts/attributes/reference-classes were universally applied to all the images and their training data was mutually selected. They are more suitable for offline databases with lower variance (such as face databases [4]) such that object classes good share similarities.

Following diagram shows the improvement the efficiency of online image re-ranking, and removes redundant classes. It can increase the re-ranking accuracy in model.

Fowling diagram shows The diagram of our approach is shown in Figure 2. At the offline stage, the reference classes (which represent different semantic concepts) of query keywords are automatically discovered. For a query keyword (e.g. "hp"), a group of most relevant keyword expansions (such as "hp laptop""hp printer", and "hp iphone") both textual and visual information are automatically selected. For the query keyword this set of keyword expansions defines the reference classes. In order to automatically obtain the training examples of a reference class, the keyword expansion (e.g. "hp laptop") is used to retrieve images by the search engine. Images retrieved by the keyword expansion ("hp laptop") are much less diverse than those retrieved by the original keyword ("hp"). After automatically removing outliers, the retrieved top images are used as the training examples of the reference class. Some reference classes (such as "hp pen drive" and "hp siphoned") have similar semantic meanings and their training sets are visually similar.

In order to improvement the efficiency of online image re-ranking, and remove redundant classes. A multi-class classifier on low level visual features is trained from the training sets of its reference classes perform and stored offline for each keyword. Choice can increase the re-ranking accuracy but will also increase storage and reduce the online matching efficiency because of the increased size of semantic signatures. An image may be relevant to multiple query keywords. Hence it could semantic signatures obtained in various semantic spaces. Through the word image index file, each image in the database is associated with a some relevant keywords.

It contains:

- 1) Keyword Expansion
- 2) Query specific references
- 3) Classifier of reference class (SVM)
- 4) Semantics signature over reference class

Through above four stages classifier perform on reference classes as well as low level features to improve efficiency of retrieving in images database

Offline data train with reference Classes




Figure 2: Image Re-ranking framework model for log based feedback method

### 3. Our Approach

Our contribution in this paper includes image ranking references classes with empirical study to know to whether hypothesis “classic k-menace is better than k-menace with ranking” hold true. In real world application k-menace is top ten algorithms, first centroid taken carefully to ensure the quality of cluster after accomplishing centroid, from data source then algorithm takes data point collaborate with nearest centroid.

This process is performed until no data point left ungrouped. After expiration of these initial binding new k nearest centroid. The evaluation of dynamic changing its location share. Situation until there are no extra changes required. As a final step, the K-Means algorithm makes little of changes an objective function.

Final step minimize the objective function through these algorithm.

$$J = \sum_{j=1}^K \sum_{i=1}^N \|X^i - C_j\|^2 \quad (4)$$

A among the data point and centroid for measuring distance

$$\|X_i^{(j)} - C_j\|^2$$

We use k-means clustering, For removing outlier for gaining high efficiency of ranking rate.

#### 3.1 Cluster based K-means Algorithm

- 1) Initialize the center of cluster  $m_i = \text{some value}$ .
- 2) Attribute the closest cluster to each data point:  
 $C_i = j: e(X_j, m_i) = \min_{I=1, \dots, n} e(X_j, m_I)$
- 3) Set the position of each cluster to the mean of all data point belonging to that cluster  $m_i = \frac{1}{n} \sum_{j \in C_i} X_j$ .
- 4) Repeat steps 2-3 until convergence  $j = \text{Number of element } c \text{ finally cluster formed}$ .




Figure 3: Clustering for data Classification

Another main contribution of this work is that we apply data mining on the log of user’s feedback to improve image retrieval performance in three aspects:

- 1) The web pages is improved by removing outlier through cluster and irrelevant text information. Then improve accuracy of ranking.
- 2) To representation of images, which is then combined with the document space model by to construct the user space model of users to eliminate mismatch both the page author’s expression as well as the user’s understanding and expectation of relevant result. One query image is not relevant enough to confiscation the user’s intention.

In Step 2, those query image are found a cluster of images all containing the same expanded keywords and visually similar. Discovering bond between low level and high level feature.

#### 3.2 Log based feedback method:

There are two types of feedbacks: Implicit and Explicit Feedback. In this project we are adding both approaches along with genetic algorithm for efficient CBRI systems. Now we are discussing about this feedback methods:

- 1) Explicit Feedback: This type of feedback is based on user’s preferences relevance of Images retrieved for the user query. Explicit feedback is used only when the user not satisfying with already retrieved result. This kind of feedback is called as explicit only when the other evaluators of a system know that the feedback provided is interpreted as relevance judgments.
- 2) Implicit Feedback: This kind of feedback is delivered from user actions like observing
  - Which documents they do as well as do not select for viewing, also the period of time spent in viewing a document, or page browsing or scrolling events.
  - Generally implicit information is Stored in the log files. That is log files are the place where history of the use interaction with the System is stored and this information acts as a key element in the feedback process. The main difference between explicit and implicit feedback.
- 3) The user isn’t assessing relevance for the advantage of the data Retrieval system, however solely satisfying their own wants.
- 4) There’s no direct interaction of user in implicit feedback method as a result of data is collected from log files whereas in specific feedback user has got to take participate in feedback method directly.

#### 4. Conclusion

This approach is very similar like manual image retrieval approach in manual approach human look each image contents not the description or keyword of the image this new approach reduce “semantic gap” between the human visual perception and the retrieval approach. In this paper we have presented a new approach which is based on user oriented support with interactive various Algorithms. Here we have created two tier architecture of implicit and explicit feedback. Conventional methods are based on visual features which are not producing efficient result but our approach reduces the gap between the visual features and human perception. Combination of Implicit and explicit feedback in web image search system produces better result than only explicit feedback.

#### References

- [1] Dr.J.Jagadeesan,R.AugustionIsaac,A.P(Sr.G),V.Vinitha M.tech,”Web Image Search Re-ranking Using CBIR” ISSN:2229-3345 Vol.5 No.04 Apr 2014
- [2] PushpaB.Patil,Manish B.Kokare“Relevance Feedback in Content-Based Image Retrieval: A Review 2012[27].
- [3] Lijun Zhao, Jiakui Tang,” Content-Based Image Retrieval Using Optimal Feature Combination and Relevance Feedback”, 2010 International Conference on Computer Application and system modeling (iccas 2010).
- [4] Q. Yin, x. Tang, and j. Sun. “an associate-predict model for face recognition”. In proc. Cvpr, 2011.
- [5] J. Cui, f. Wen, and x. Tang. Real time google and live image searchre-ranking. In proc. Acm multimedia, 2008.
- [6] C. Lampert, h. Nickisch, and s. Harmeling. Learning to detect unseen object classes by between-class attribute transfer. In proc. Cvpr, 2005.
- [7] Xiaogang wang1, ke liu2, xiaoou tang2,3,” web image re-ranking usingquery-specific semantic signatures” iee transactions on pattern analysis and machine intelligence (volume:36 , issue: 4 ) april 2014, doi:10.1109/tpami.201.
- [8] Dacheng tao, xiaoou tang, xuelong li,” asymmetric bagging and random subspace for support vector machines-based relevance feedback in image retrieval” IEEE transactions on pattern analysis and machine intelligence, vol. 28, no. 7, july 2006.
- [9] Bo Luo, Xiaogang Wang, and Xiaoou Tang,” A World Wide Web Based Image Search Engine Using Text and Image Content Features. ISBN: 0-8194-4818-4, Publication Date: Jan 2003.
- [10] Gert Cauwenberghs, Tomaso Poggio,” Incremental and Decremental Support Vector Machine Learning”