









nature corresponding to different frequencies varied between 500- 4000cm<sup>-1</sup>. The UV visible absorption spectrum shows wide absorption range the absorption edge of the SnO<sub>2</sub>-TiO<sub>2</sub> nanoparticles is about 300nm.

## References

- [1] Dongyun Han, Huaiyu Yang, Chengyan Zhu, Fuhui Wang. "Controlled Synthesis of SnO Nanoparticles using Triton X-100 based water-in-oil reserve Micelles" powder technology, 185, pp. 286, 2008.
- [2] M. LCurri, A. Agostiano, F. Mavelli, M. Della Monia, Mater Sci. Eng., C. Biomim Master., Sens. syst, 22, pp. 423, 2002.
- [3] J. C. Mallinson, the foundations of magnetic Recording, Academic process, Berkeley, CA, 1987.
- [4] M. Z. Botelho, R. Kiinzel, E. Okuno, R.S. Levenhagen, T. Basegio, C.P. Bergmann "X-Ray transmission through nanostructured and microstructured CuO materials" Applied Radiation & Isotopes, 69, pp. 527, 2011.
- [5] Moriarty, P., Nanostructured materials. Reports on progress in Physics, 64, pp. 297-381, 2001.
- [6] Sigel Rw, Ramasamy S, Hahn H, Li Z. Lu T. Gronskey R J Mater Res, 3, pp. 1367, 1988.
- [7] Morales BA, Novaro O, Lopez T, Sanchez E, Gomez R J Mater Res, 10, pp. 2788, 1995.
- [8] Terwillinger CD, Chiang YM Nanostruct Mater, 2, pp. 37, 1993.
- [9] Fukuji S. Kazuaki, H. Kazuaki, Y. Yukio, M. Yoshitoma, "Preparation and optical properties of TiO<sub>2</sub> Iride scent pigment based on black Titanium Oxynitride" J. Jpn soc. colour mater, 79, pp. 526-532, 2006.
- [10] Fujishima, A. Zhaong, X. Froyk, DA., "TiO<sub>2</sub> photo catalyzing and related surface phenomena" surf. sci. rep., 63, pp. 515-582, 2008.
- [11] O' Regan B, Grätzel M Nature, pp. 352-373, 1991.
- [12] M. Kamalan, Kirubaharan, M. Selvaraj, K. Marudhan, D. Jayakumar, "Synthesis and characterization of nanosized TiO<sub>2</sub> and SiO<sub>2</sub> for corrosion resistance applications", pp. 25, 2009.
- [13] Lim. Bc. Thomas, NL, Sutherland, I. "Surface energy measurement of coated TiO<sub>2</sub> pigment" prog. org. coat, 62, pp. 123-128, 2008.
- [14] F. Bose, A. Ayril, P.A. Albouy, C. Guizard, A Simple route for low-temperature synthesis of mesoporous and nanocrystalline anatase thin films, Chem. Mater.15, pp. 2463-2468, 2003.
- [15] H. Hansel, H. Zettl, G. Krausch, R. Kisselev, M. Thelakkat, H.W. Schmidt, Optical and electronic contributions in double-heterojunction organic thin-film solar cells, Adv. Mater. 15, pp. 2056-2060, 2003.
- [16] K. Anandan\*, S. Gnanam, J. Gajendiran, V. Rajendran "Effect of temperature on SnO<sub>2</sub> nanoparticles-facile solvothermal synthesis and characterization", (NCMNN)-49, pp. 26, 2010.
- [17] Yin S, Ihra K, Aita Y, Komatsu M, Sata T. Visible-light induced photocatalytic activity of TiO<sub>2</sub>-xAy (A ¼ N, S) prepared by precipitation route. J Photochem Photobiol A: Chem. 179, pp. 105-114, 2006.
- [18] Luo H, Takata T, Lee Y, Zhao J, Domen K, Yan Y. Photocatalytic activity enhancing for titanium dioxide by co-doping with bromine and chlorine. Chem Mater. 16, pp. 846-849, 2004.
- [19] Jin Z, Zhang X, Li Y, Li S, Lu G. 5.1% apparent quantum efficiency for hydrogen generation over eosine-sensitized CuO/TiO<sub>2</sub> photocatalyst under visible light irradiation. Catal Commun, 8, pp. 1267-1273, 2007.
- [20] Liqiang J, Honggang F, Baiqi W, Dejun W, Baifu X, Shudan L, et al. Effects of Sn dopant on the photo induced charge property and photocatalytic activity of TiO<sub>2</sub> nanoparticles. Appl Catal B: Environ. 62, pp. 282-291, 2006.
- [21] Sasikala R, Shirole A, Sudarsan V, Sakuntala T, Sudakar C, Naik R, et al. Highly dispersed phase of SnO<sub>2</sub> on TiO<sub>2</sub> nanoparticles synthesized by polyolmediated route: photocatalytic activity for hydrogen generation. Int J Hydrogen. Energy, 34, pp. 3621-3630, 2009.
- [22] JCPDS PDF-2 pattern 02-0387 & TiO<sub>2</sub> 89-8304.
- [23] JCPDS PDF-2 pattern 88-1172 & SnO<sub>2</sub> -TiO<sub>2</sub> 78-1063, 81-1387.
- [24] JCPDS PDF-2 pattern 05-0667.
- [25] F. A. Deorsola. D. Vallauri J Mater Sci. 43, pp. 3274-3278, 2008.
- [26] Zhou Y. and Wu G. H., Material Analysis and Test Technique- XRD and Electronic Macroscopic Analysis of Material, Harbin Institute of Technology press, Harbin, 2001.
- [27] Nadica D. Abazović. Luciana Mirengi. et., al Nanoscale Res Lett, 4, pp. 518-525, 2009.
- [28] WANG Hang, TANG zhiyuan, SUN Lei. et., al RARE METALS Vol. 28.No. 3., pp. 231-236, 2009.
- [29] Sonalika Vaidya. Amitava Patra. Ashok K. Ganguli. "Core-Shell nanostructures and nanocomposites of Ag@ TiO<sub>2</sub>: effect of capping agent and shell thickness on the optical properties" J Nanopart Res. 12, pp. 1033-1044, 2010.
- [30] R. Sasikala, A. Shirole, V. Sudarsan. et., al "Highly dispersed phase of SnO<sub>2</sub> on TiO<sub>2</sub> nanoparticles synthesized by polymediated route: photocatalytic activity for Hydrogen generation" International Journal of Hydrogen Energy, 34, pp. 3621-3630, 2009.
- [31] J. G. Yu, X.J. Zhao, D. Ch DU, and W. M. Chen, J Sol-Gel Sci. Tech-17, pp. 163, 2000.
- [32] Zhong Huang. Weiliang Cao. et., al, "Photoelectric study on a new semiconductor: 6, 13-diphenylpentacene and TiO<sub>2</sub> nanocomposites film", J Mater Sci: Mater Electron.
- [33] JIAGUO YU\*, JIMMY C. YU. et., al. Journal of Sol-Gel Science & Technology, 24, pp. 39-48, 2002.

## Author Profile



**N. Sriharan** completed B.Sc, and M.Sc degrees in Physics in Gobi Arts and Science College in 2009 and 2011 respectively. At 2013, he received his M. Phil degree in Sri Ramakrishna Mission Vidyalyaya College of Arts and Science at Coimbatore. From 2013 onwards he is working as an Asst. Professor of Physics at Gobi Arts and Science College, Gobichettipalayam.