

spectrum sensing in cognitive radio by drawing the curves between probability of false alarm vs. probability of detection, SNR vs. probability of detection, sensing time vs. probability of detection and modulation techniques vs. probability of detection. Simulation results show that our proposed scheme is capable of detect signal at SNR values upto -6dB.

References

- [1] C. Cordeiro, K. Challapali, D. Birru and N. S. Shankar, "IEEE 802.22: The First Worldwide Wireless Standard based on cognitive radios", in *Proc IEEE DySPAN*, Nov 2005, pp 328-37.
- [2] S. Haykin, "Cognitive Radio: Brain-Empowered Wireless Communications", *IEEE J. on Selected Areas Commn.*, Vol. 23(2), Feb 2005, pp 221-220.
- [3] R. V. Prasad, P. Pawelczak, J. A. Hoffmeyer and H.S. Berger, "Cognitive Functionality in Next Generation Wireless Networks: Standardization Efforts", *IEEE Communications Magazine*, Vol 46, Apr 2008, pp 72-78.
- [4] R. Tandra and A. Sahai, "SNR Walls for Signal Detection", *IEEE J. on Selected Topics in Signal Processing*, Vol2., pp 4-17, Feb 2008.
- [5] S. Geirhofer, L. Tong and B.M.Sadler, "Dynamic Spectrum access in the time domain: Modelling and Exploiting White Space", *IEEE Commn. Mag*, Vol. 45, pp. 66-72, May 2007.
- [6] D. Cabric, S. M. Mishra and R. W. Brodersen, "Implementation issues in spectrum sensing for Cognitive Radios", in *Proc of Asilomar conference on signals, systems and computers*, Nov 2004, Vol 1, pp 772-776.
- [7] G. Ganesan and Y. Li, "Cooperative Spectrum Sensing in cognitive radio, Part I: two user networks", *IEEE trans. on Wireless Communication*, Vol.6, June 2007, pp 2204-2213.
- [8] K. B. Letaief and W. Zhang, "Cooperative Spectrum Sensing" in *Cognitive Wireless Communication Networks*, E. Hossain and V. K. Bhargava, (Eds.), Springer, June 2007.
- [9] W. Wang, L. Zhang, W. Zou and Z. Zhou, "On the distributed cooperative spectrum sensing for Cognitive Radio", *Intl. Symposium on Commn. And Info. Technologies*, Oct 2007, pp 1496-1501.
- [10] A. Parsha, A.A Gohari and A. Sahai, "Exploiting Interference Diversity for Event based Spectrum Sensing", in *Proc IEEE DySPAN*, Oct 2008.
- [11] A. Sahai, N. Hoven, S.M. Mishra and R. Tandra, "Fundamental tradeoffs in robust spectrum sensing for opportunistic frequency reuse" in *Proc First Intl Workshop on Tech. and Policy for Accessing Spectrum*, Aug 2006.